

**AIR LIQUIDE**

Specification

Distribution Manifold

Project-No.: K70101

Location:

Air Liquide AGS GmbH

Project:

ASU No. 9 KOSICE**LAR tanks**

Rev.						Rev.					
1	Manufacturer					57					
2	Type	Instrument Gas Distributer				58	<input checked="" type="checkbox"/> Label with label holder				
3	Order No.					59	Text: LAR tanks				
4						60					
5	Bottle diameter	<input type="checkbox"/> DN25	<input checked="" type="checkbox"/> DN50	PN	10	61	<input checked="" type="checkbox"/> Mounting set for wall mounting				
6						62					
7	Inlet	<input type="checkbox"/> Tube nipple G1"				63					
8		<input type="checkbox"/> Shut-off valve G1"				64					
9		<input checked="" type="checkbox"/> Ball valve G1"				65					
10	Drain	<input type="checkbox"/> Shut-off valve G1/2"				66					
11		<input checked="" type="checkbox"/> Ball valve G1/2"				67					
12	Outlet	<input type="checkbox"/> G1/4" <input type="checkbox"/> G3/8"				68	Documents <input type="checkbox"/> German <input checked="" type="checkbox"/> English <input type="checkbox"/> French				
13		<input checked="" type="checkbox"/> Ball valve <input checked="" type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"				69	Quantity per type 4-fold				
14		<input type="checkbox"/> TRUMA-valve <input type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"				70					
15	Fittings	<input checked="" type="checkbox"/> without				71					
16		<input type="checkbox"/> tube Ø 6mm <input type="checkbox"/> tube Ø 12mm				72	<input type="checkbox"/> Material certificate to EN 10204 -3.1B				
17	Material:					73	<input checked="" type="checkbox"/> Manufacturer certificate to EN 10204-2.2				
18	Pipe	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Steel, galvanized				74	<input type="checkbox"/> Cleaned, oil and grease free, acc. MG-cert. 06401				
19	Armatures	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Brass				75	<input type="checkbox"/> Packed acc. MG-cert. 06271				
20	Fittings	<input type="checkbox"/> 316 SS <input type="checkbox"/> Brass				76					
21						77					
22											
23		Destination	Connect.-No.				Connect.-No.	Destination			
24											
25		HV48010	1				2	PV48005			
26											
27		HV48050	3				4	PV48027			
28											
29		HV48070	5				6	PV49020			
30											
31		PV44105	7				8				
32											
33		PV44205	9				10				
34											
35											
36											
37											
38											
39											
40											
41											
42											
43											
44											
45											
46											
47											
48											
49											
50											
51											
52											
53											
54											
55											
56											
0	11.11.2004	Möller	Eichler	Initial Version							
Rev.	Date	Name	Checked	Change	Rev.	Date	Name	Checked	Change		

		Specification Distribution Manifold				Project-No.: K70101	
						Location:	
Air Liquide AGS GmbH		Project: ASU No. 9 KOSICE				LOX tank B62001	

Rev.									
	1	Manufacturer			57				
	2	Type	Instrument Gas Distributer		58	<input checked="" type="checkbox"/> Label with label holder			
	3	Order No.			59	Text: LOX tank B62001			
	4				60				
	5	Bottle diameter	<input type="checkbox"/> DN25	<input checked="" type="checkbox"/> DN50	PN	10	<input checked="" type="checkbox"/> Mounting set for wall mounting		
	6				62				
	7	Inlet	<input type="checkbox"/> Tube nipple G1"		63				
	8		<input type="checkbox"/> Shut-off valve G1"		64				
	9		<input checked="" type="checkbox"/> Ball valve G1"		65				
	10	Drain	<input type="checkbox"/> Shut-off valve G1/2"		66				
	11		<input checked="" type="checkbox"/> Ball valve G1/2"		67				
	12	Outlet	<input type="checkbox"/> G1/4" <input type="checkbox"/> G3/8"		68	Documents	<input type="checkbox"/> German	<input checked="" type="checkbox"/> English	<input type="checkbox"/> French
	13		<input checked="" type="checkbox"/> Ball valve <input checked="" type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"		69	Quantity per type	4-fold		
	14		<input type="checkbox"/> TRUMA-valv <input type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"		70				
	15	Fittings	<input checked="" type="checkbox"/> without		71				
	16		<input type="checkbox"/> tube Ø 6mm <input type="checkbox"/> tube Ø 12mm		72	<input type="checkbox"/> Material certificate to EN 10204 -3.1B			
	17	Material:			73	<input checked="" type="checkbox"/> Manufacturer certificate to EN 10204-2.2			
	18	Pipe	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Steel, galvanized		74	<input type="checkbox"/> Cleaned, oil and grease free, acc. MG-cert. 06401			
	19	Armatures	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Brass		75	<input type="checkbox"/> Packed acc. MG-cert. 06271			
	20	Fittings	<input type="checkbox"/> 316 SS <input type="checkbox"/> Brass		76				
	21				77				

Rev.							
	22	Destination		Connect.-No.	Connect.-No.		Destination
	23						
	24						
	25	HV72008	1	X	2	PV72005	
	26						
	27	HV72009	3	X	4	PV72040	
	28						
	29	HV72051	5	X	6		
	30						
	31	HV72052	7	X	8		
	32						
	33	HV72053	9	X	10		
	34						
	35						
	36						

Rev.							
	37	<div style="display: flex; justify-content: space-between;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Remarks</div> <div></div> </div>					
	38						
	39						
	40						
	41						
	42						
	43						
	44						
	45						
	46						
	47						
	48						
	49						
	50						
	51						
	52						
	53						
	54						
	55						
	56						

Rev.	Date	Name	Checked	Change	Rev.	Date	Name	Checked	Change
0	11.11.2004	Möller	Eichler	Initial Version					


		Specification Distribution Manifold				Project-No.: K70101	
						Location:	
Air Liquide AGS GmbH		Project: ASU No. 9 KOSICE				LOX tank B62001	

Rev.									
	1	Manufacturer			57				
	2	Type	Instrument Gas Distributer		58	<input checked="" type="checkbox"/> Label with label holder			
	3	Order No.			59	Text: LOX tank B62001			
	4				60				
	5	Bottle diameter	<input type="checkbox"/> DN25	<input checked="" type="checkbox"/> DN50	PN	10	<input checked="" type="checkbox"/> Mounting set for wall mounting		
	6				61				
	7	Inlet	<input type="checkbox"/> Tube nipple G1"		62				
	8		<input type="checkbox"/> Shut-off valve G1"		63				
	9		<input checked="" type="checkbox"/> Ball valve G1"		64				
	10	Drain	<input type="checkbox"/> Shut-off valve G1/2"		65				
	11		<input checked="" type="checkbox"/> Ball valve G1/2"		66				
	12	Outlet	<input type="checkbox"/> G1/4" <input type="checkbox"/> G3/8"		67				
	13		<input checked="" type="checkbox"/> Ball valve <input checked="" type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"		68	Documents	<input type="checkbox"/> German <input checked="" type="checkbox"/> English <input type="checkbox"/> French		
	14		<input type="checkbox"/> TRUMA-valv <input type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"		69	Quantity per type	4-fold		
	15	Fittings	<input checked="" type="checkbox"/> without		70				
	16		<input type="checkbox"/> tube Ø 6mm <input type="checkbox"/> tube Ø 12mm		71				
	17	Material:			72	<input type="checkbox"/> Material certificate to EN 10204 -3.1B			
	18	Pipe	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Steel, galvanized		73	<input checked="" type="checkbox"/> Manufacturer certificate to EN 10204-2.2			
	19	Armatures	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Brass		74	<input type="checkbox"/> Cleaned, oil and grease free, acc. MG-cert. 06401			
	20	Fittings	<input type="checkbox"/> 316 SS <input type="checkbox"/> Brass		75	<input type="checkbox"/> Packed acc. MG-cert. 06271			
	21				76				
	22				77				

Rev.							
	22	Destination	Connect.-No.			Connect.-No.	Destination
	23						
	24						
	25	HV62008	1			2	PV62005
	26						
	27	HV62009	3			4	PV62040
	28						
	29	HV62051	5			6	
	30						
	31		7			8	
	32						
	33		9			10	
	34						
	35						
	36						

Rev.		<div style="display: flex; justify-content: space-between;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Remarks</div> <div></div> </div>							
	37								
	38								
	39								
	40								
	41								
	42								
	43								
	44								
	45								
	46								
	47								
	48								
	49								
	50								
	51								
	52								
	53								
	54								
	55								
	56								

Rev.	Date	Name	Checked	Change	Rev.	Date	Name	Checked	Change
0	11.11.2004	Möller	Eichler	Initial Version					



Specification Distribution Manifold

Project-No.: K70101

Location:

Air Liquide AGS GmbH

Project: ASU No. 9 KOSICE

MP-LIN tank

Rev.						Rev.					
1	Manufacturer					57					
2	Type	Instrument Gas Distributer				58	<input checked="" type="checkbox"/> Label with label holder				
3	Order No.					59	Text: MP-LIN tank				
4						60					
5	Bottle diameter	<input type="checkbox"/> DN25	<input checked="" type="checkbox"/> DN50	PN	10	61	<input checked="" type="checkbox"/> Mounting set for wall mounting				
6						62					
7	Inlet	<input type="checkbox"/> Tube nipple G1"				63					
8		<input type="checkbox"/> Shut-off valve G1"				64					
9		<input checked="" type="checkbox"/> Ball valve G1"				65					
10	Drain	<input type="checkbox"/> Shut-off valve G1/2"				66					
11		<input checked="" type="checkbox"/> Ball valve G1/2"				67					
12	Outlet	<input type="checkbox"/> G1/4" <input type="checkbox"/> G3/8"				68	Documents <input type="checkbox"/> German <input checked="" type="checkbox"/> English <input type="checkbox"/> French				
13		<input checked="" type="checkbox"/> Ball valve <input checked="" type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"				69	Quantity per type 4-fold				
14		<input type="checkbox"/> TRUMA-valve <input type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"				70					
15	Fittings	<input checked="" type="checkbox"/> without				71					
16		<input type="checkbox"/> tube Ø 6mm <input type="checkbox"/> tube Ø 12mm				72	<input type="checkbox"/> Material certificate to EN 10204 -3.1B				
17	Material:					73	<input checked="" type="checkbox"/> Manufacturer certificate to EN 10204-2.2				
18	Pipe	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Steel, galvanized				74	<input type="checkbox"/> Cleaned, oil and grease free, acc. MG-cert. 06401				
19	Armatures	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Brass				75	<input type="checkbox"/> Packed acc. MG-cert. 06271				
20	Fittings	<input type="checkbox"/> 316 SS <input type="checkbox"/> Brass				76					
21						77					
22											
23											
24											
25											
26											
27											
28											
29											
30											
31											
32											
33											
34											
35											
36											
37											
38											
39											
40											
41											
42											
43											
44											
45											
46											
47											
48											
49											
50											
51											
52											
53											
54											
55											
56											
0	11.11.2004	Möller	Eichler	Initial Version							
Rev.	Date	Name	Checked	Change	Rev.	Date	Name	Checked	Change		

Order data

Accessories

Certificates

Connection information

Remarks

Destination

Connect.-No.

Connect.-No.

Destination

HV73014

1

2

TV73081

PV73002

3

4

UV73010

PV73005

5

6

PV73015

7

8

PV73016

9

10

AIR LIQUIDE <small>TM</small>				Specification Distribution Manifold				Project-No.: K70101 Location:	
Air Liquide AGS GmbH				Project: ASU No. 9 KOSICE				LOX back up pumps P64101/-201	

Rev.				Rev.		
1		Manufacturer		57		
2		Type	Instrument Gas Distributer	58		<input checked="" type="checkbox"/> Label with label holder
3		Order No.		59		Text: LOX back up pumps P64101/-201
4				60		
5		Bottle diameter	<input type="checkbox"/> DN25 <input checked="" type="checkbox"/> DN50 <input type="checkbox"/> PN 10	61		<input checked="" type="checkbox"/> Mounting set for wall mounting
6				62		
7		Inlet	<input type="checkbox"/> Tube nipple G1" <input type="checkbox"/> Shut-off valve G1" <input checked="" type="checkbox"/> Ball valve G1"	63		
8				64		
9				65		
10		Drain	<input type="checkbox"/> Shut-off valve G1/2" <input checked="" type="checkbox"/> Ball valve G1/2"	66		
11				67		
12		Outlet	<input type="checkbox"/> G1/4" <input type="checkbox"/> G3/8" <input checked="" type="checkbox"/> Ball valve <input checked="" type="checkbox"/> G1/4" <input type="checkbox"/> G1/2" <input type="checkbox"/> TRUMA-valv <input type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"	68		Documents <input type="checkbox"/> German <input checked="" type="checkbox"/> English <input type="checkbox"/> French
13				69		Quantity per type 4-fold
14				70		
15		Fittings	<input checked="" type="checkbox"/> without <input type="checkbox"/> tube Ø 6mm <input type="checkbox"/> tube Ø 12mm	71		
16				72		<input type="checkbox"/> Material certificate to EN 10204 -3.1B
17		Material:		73		<input checked="" type="checkbox"/> Manufacturer certificate to EN 10204-2.2
18		Pipe	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Steel, galvanized	74		<input type="checkbox"/> Cleaned, oil and grease free, acc. MG-cert. 06401
19		Armatures	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Brass	75		<input type="checkbox"/> Packed acc. MG-cert. 06271
20		Fittings	<input type="checkbox"/> 316 SS <input type="checkbox"/> Brass	76		
21				77		

Order data

Accessories

Certificates

Rev.				Rev.		
22		Destination	Connect.-No.			
23						
24						
25		HV64110	1		2	HV64210
26						
27		HV64150	3		4	HV64250
28						
29		HV64170	5		6	HV64270
30						
31		UV64010	7		8	
32						
33		TV64181	9		10	
34						
35						
36						

Connection information

Rev.		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		

Remarks

Rev.									
0	11.11.2004	Möller	Eichler	Initial Version					
Rev.	Date	Name	Checked	Change	Rev.	Date	Name	Checked	Change

		Specification Distribution Manifold				Project-No.: K70101			
		Air Liquide AGS GmbH				Project: ASU No. 9 KOSICE			
						LOX pumps P62001-P63001			

Rev.						Rev.					
1		Manufacturer				57					
2		Type	Instrument Gas Distributer			58		<div style="display: flex; align-items: center;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: 0.8em; margin-right: 5px;">Accessories</div> <div> <input checked="" type="checkbox"/> Label with label holder Text: LOX pumps P62001-P63001 <input checked="" type="checkbox"/> Mounting set for wall mounting </div> </div>			
3		Order No.				59					
4						60					
5		Bottle diameter	<input type="checkbox"/> DN25	<input checked="" type="checkbox"/> DN50	PN 10	61					
6						62					
7	Order data	Inlet	<input type="checkbox"/> Tube nipple G1"			63					
8			<input type="checkbox"/> Shut-off valve G1"			64					
9			<input checked="" type="checkbox"/> Ball valve G1"			65					
10		Drain	<input type="checkbox"/> Shut-off valve G1/2"			66					
11			<input checked="" type="checkbox"/> Ball valve G1/2"			67					
12		Outlet	<input type="checkbox"/> G1/4"	<input type="checkbox"/> G3/8"		68		Documents	<input type="checkbox"/> German	<input checked="" type="checkbox"/> English	<input type="checkbox"/> French
13			<input checked="" type="checkbox"/> Ball valve	<input checked="" type="checkbox"/> G1/4"	<input type="checkbox"/> G1/2"	69		Quantity per type	4-fold		
14			<input type="checkbox"/> TRUMA-valv	<input type="checkbox"/> G1/4"	<input type="checkbox"/> G1/2"	70					
15		Fittings	<input checked="" type="checkbox"/> without			71					
16			<input type="checkbox"/> tube Ø 6mm	<input type="checkbox"/> tube Ø 12mm		72		<input type="checkbox"/> Material certificate to EN 10204 -3.1B			
17		Material:				73		<input checked="" type="checkbox"/> Manufacturer certificate to EN 10204-2.2			
18		Pipe	<input checked="" type="checkbox"/> 316 SS	<input type="checkbox"/> Steel, galvanized	74		<input type="checkbox"/> Cleaned, oil and grease free, acc. MG-cert. 06401				
19		Armatures	<input checked="" type="checkbox"/> 316 SS	<input type="checkbox"/> Brass	75		<input type="checkbox"/> Packed acc. MG-cert. 06271				
20		Fittings	<input type="checkbox"/> 316 SS	<input type="checkbox"/> Brass	76						
21						77					

	Destination	Connect.-No.		Connect.-No.	Destination
	HV62052	1	X	2	
	HV63016	3	X	4	
	HV63034	5	X	6	
	PV63033	7	X	8	
		9	X	10	

Rev.						Rev.			
0		11.11.2004	Möller	Eichler	Initial Version				
Rev.		Date	Name	Checked	Change	Rev.		Date	Name

		Specification Distribution Manifold				Project-No.: K70101			
						Location:			
Air Liquide AGS GmbH		Project: ASU No. 9 KOSICE				MP-LIN back up pumps P73101/-201			

Rev.				Rev.		
	1	Manufacturer			57	
	2	Type	Instrument Gas Distributer		58	<input checked="" type="checkbox"/> Label with label holder
	3	Order No.			59	Text: MP-LIN back up pumps P73101/-201
	4				60	
	5	Bottle diameter	<input type="checkbox"/> DN25 <input checked="" type="checkbox"/> DN50 <input type="checkbox"/> PN 10		61	<input checked="" type="checkbox"/> Mounting set for wall mounting
	6				62	
	7	Inlet	<input type="checkbox"/> Tube nipple G1"		63	
	8		<input type="checkbox"/> Shut-off valve G1"		64	
	9		<input checked="" type="checkbox"/> Ball valve G1"		65	
	10	Drain	<input type="checkbox"/> Shut-off valve G1/2"		66	
	11		<input checked="" type="checkbox"/> Ball valve G1/2"		67	
	12	Outlet	<input type="checkbox"/> G1/4" <input type="checkbox"/> G3/8"		68	Documents <input type="checkbox"/> German <input checked="" type="checkbox"/> English <input type="checkbox"/> French
	13		<input checked="" type="checkbox"/> Ball valve <input checked="" type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"		69	Quantity per type 4-fold
	14		<input type="checkbox"/> TRUMA-valv <input type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"		70	
	15	Fittings	<input checked="" type="checkbox"/> without		71	
	16		<input type="checkbox"/> tube Ø 6mm <input type="checkbox"/> tube Ø 12mm		72	<input type="checkbox"/> Material certificate to EN 10204 -3.1B
	17	Material:			73	<input checked="" type="checkbox"/> Manufacturer certificate to EN 10204-2.2
	18	Pipe	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Steel, galvanized		74	<input type="checkbox"/> Cleaned, oil and grease free, acc. MG-cert. 06401
	19	Armatures	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Brass		75	<input type="checkbox"/> Packed acc. MG-cert. 06271
	20	Fittings	<input type="checkbox"/> 316 SS <input type="checkbox"/> Brass		76	
	21				77	

		Destination	Connect.-No.		Connect.-No.	Destination
	22					
	23					
	24					
	25	HV73110	1		2	HV73210
	26					
	27	HV73150	3		4	HV73250
	28					
	29	HV73170	5		6	HV73270
	30					
	31		7		8	
	32					
	33		9		10	
	34					
	35					
	36					

		<div style="display: flex; justify-content: space-between;"> <div style="width: 15%;"> Remarks </div> <div style="width: 85%;"></div> </div>							
	37								
	38								
	39								
	40								
	41								
	42								
	43								
	44								
	45								
	46								
	47								
	48								
	49								
	50								
	51								
	52								
	53								
	54								
	55								
	56								

	0	11.11.2004	Möller	Eichler	Initial Version				
Rev.	Date	Name	Checked	Change	Rev.	Date	Name	Checked	Change

AIR LIQUIDE <small>TM</small>				Specification Distribution Manifold				Project-No.: K70101 Location:	
Air Liquide AGS GmbH				Project: ASU No. 9 KOSICE				NG water bath vaporizer	

Rev.				Rev.		
1		Manufacturer		57		
2		Type	Instrument Gas Distributer	58		<input checked="" type="checkbox"/> Label with label holder
3		Order No.		59		Text: NG water bath vaporizer
4				60		
5		Bottle diameter	<input type="checkbox"/> DN25 <input checked="" type="checkbox"/> DN50 <input type="checkbox"/> PN 10	61		<input checked="" type="checkbox"/> Mounting set for wall mounting
6				62		
7		Inlet	<input type="checkbox"/> Tube nipple G1" <input type="checkbox"/> Shut-off valve G1" <input checked="" type="checkbox"/> Ball valve G1"	63		
8				64		
9				65		
10		Drain	<input type="checkbox"/> Shut-off valve G1/2" <input checked="" type="checkbox"/> Ball valve G1/2"	66		
11				67		
12		Outlet	<input type="checkbox"/> G1/4" <input type="checkbox"/> G3/8" <input checked="" type="checkbox"/> Ball valve <input checked="" type="checkbox"/> G1/4" <input type="checkbox"/> G1/2" <input type="checkbox"/> TRUMA-valv <input type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"	68		Documents <input type="checkbox"/> German <input checked="" type="checkbox"/> English <input type="checkbox"/> French
13				69		Quantity per type 4-fold
14				70		
15		Fittings	<input checked="" type="checkbox"/> without <input type="checkbox"/> tube Ø 6mm <input type="checkbox"/> tube Ø 12mm	71		
16				72		<input type="checkbox"/> Material certificate to EN 10204 -3.1B
17		Material:		73		<input checked="" type="checkbox"/> Manufacturer certificate to EN 10204-2.2
18		Pipe	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Steel, galvanized	74		<input type="checkbox"/> Cleaned, oil and grease free, acc. MG-cert. 06401
19		Armatures	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Brass	75		<input type="checkbox"/> Packed acc. MG-cert. 06271
20		Fittings	<input type="checkbox"/> 316 SS <input type="checkbox"/> Brass	76		
21				77		

Order data

Destination	Connect.-No.					Connect.-No.	Destination
PV73101	1					2	
UV73111	3				4		
	5				6		
	7				8		
	9				10		

Accessories

Certificates

Rev.				Rev.		
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						
43						
44						
45						
46						
47						
48						
49						
50						
51						
52						
53						
54						
55						
56						

Rev.	Date	Name	Checked	Change	Rev.	Date	Name	Checked	Change
0	11.11.2004	Möller	Eichler	Initial Version					

AIR LIQUIDE		Specification Distribution Manifold			Project-No.: K70101	
					Location:	
Air Liquide AGS GmbH		Project: ASU No. 9 KOSICE			MP-GAN take over point	

Rev.				Rev.		
1		Manufacturer		57		
2		Type	Instrument Gas Distributer	58		<input checked="" type="checkbox"/> Label with label holder
3		Order No.		59		Text: MP-GAN take over point
4				60		
5		Bottle diameter	<input type="checkbox"/> DN25 <input checked="" type="checkbox"/> DN50 <input type="checkbox"/> PN <input type="checkbox"/> 10	61		<input checked="" type="checkbox"/> Mounting set for wall mounting
6				62		
7		Inlet	<input type="checkbox"/> Tube nipple G1"	63		
8			<input type="checkbox"/> Shut-off valve G1"	64		
9			<input checked="" type="checkbox"/> Ball valve G1"	65		
10		Drain	<input type="checkbox"/> Shut-off valve G1/2"	66		
11			<input checked="" type="checkbox"/> Ball valve G1/2"	67		
12	Order data	Outlet	<input type="checkbox"/> G1/4" <input type="checkbox"/> G3/8"	68		Documents <input type="checkbox"/> German <input checked="" type="checkbox"/> English <input type="checkbox"/> French
13			<input checked="" type="checkbox"/> Ball valve <input checked="" type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"	69		Quantity per type 4-fold
14			<input type="checkbox"/> TRUMA-valv <input type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"	70		
15		Fittings	<input checked="" type="checkbox"/> without	71		
16			<input type="checkbox"/> tube Ø 6mm <input type="checkbox"/> tube Ø 12mm	72		<input type="checkbox"/> Material certificate to EN 10204 -3.1B
17		Material:		73		<input checked="" type="checkbox"/> Manufacturer certificate to EN 10204-2.2
18		Pipe	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Steel, galvanized	74		<input type="checkbox"/> Cleaned, oil and grease free, acc. MG-cert. 06401
19		Armatures	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Brass	75		<input type="checkbox"/> Packed acc. MG-cert. 06271
20		Fittings	<input type="checkbox"/> 316 SS <input type="checkbox"/> Brass	76		
21				77		

Rev.				Rev.		
22						
23		Destination	Connect.-No.	Connect.-No.	Destination	
24						
25		HK70041	1	2		
26						
27			3	4		
28						
29			5	6		
30						
31			7	8		
32						
33			9	10		
34						
35						
36						

Rev.		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		

Rev.	Date	Name	Checked	Change	Rev.	Date	Name	Checked	Change
0	11.11.2004	Möller	Eichler	Initial Version					



AIR LIQUIDE <small>TM</small>		Specification Distribution Manifold				Project-No.: K70101	
		Project: ASU No. 9 KOSICE				Location:	
Air Liquide AGS GmbH							

Rev.									
	1	Manufacturer			57				
	2	Type	Instrument Gas Distributer		58	<input checked="" type="checkbox"/>	Label with label holder		
	3	Order No.			59	Text: see below			
	4				60				
	5	Bottle diameter	<input type="checkbox"/> DN25	<input checked="" type="checkbox"/> DN50	PN	10	61	<input checked="" type="checkbox"/>	Mounting set for wall mounting
	6					62			
	7	Inlet	<input type="checkbox"/> Tube nipple G1"			63			
	8		<input type="checkbox"/> Shut-off valve G1"			64			
	9		<input checked="" type="checkbox"/> Ball valve G1"			65			
	10	Drain	<input type="checkbox"/> Shut-off valve G1/2"			66			
	11		<input checked="" type="checkbox"/> Ball valve G1/2"			67			
	12	Outlet	<input type="checkbox"/> G1/4" <input type="checkbox"/> G3/8"			68	Documents	<input type="checkbox"/> German	<input checked="" type="checkbox"/> English <input type="checkbox"/> French
	13		<input checked="" type="checkbox"/> Ball valve <input checked="" type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"			69	Quantity per type	4-fold	
	14		<input type="checkbox"/> TRUMA-valv <input type="checkbox"/> G1/4" <input type="checkbox"/> G1/2"			70			
	15	Fittings	<input checked="" type="checkbox"/> without			71			
	16		<input type="checkbox"/> tube Ø 6mm <input type="checkbox"/> tube Ø 12mm			72	<input type="checkbox"/>	Material certificate to EN 10204 -3.1B	
	17	Material:				73	<input checked="" type="checkbox"/>	Manufacturer certificate to EN 10204-2.2	
	18	Pipe	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Steel, galvanized			74	<input type="checkbox"/>	Cleaned, oil and grease free, acc. MG-cert. 06401	
	19	Armatures	<input checked="" type="checkbox"/> 316 SS <input type="checkbox"/> Brass			75	<input type="checkbox"/>	Packed acc. MG-cert. 06271	
	20	Fittings	<input type="checkbox"/> 316 SS <input type="checkbox"/> Brass			76			
	21					77			

Rev.									
	22	Destination		Connect.-No.	Connect.-No.		Destination		
	23								
	24								
	25			1	2				
	26								
	27			3	4				
	28								
	29			5	6				
	30								
	31			7	8				
	32								
	33			9	10				
	34								
	35								
	36								

Rev.									
	37	LABEL TEXTS: GAN-GOX blow out HP-LIN back up pumps P74101-201 LAR tanks LIN tank B72001 LOX back up pumps P64101-201 LOX pumps P62001-P63001 LOX tank B62001 MP-GAN take over point MP-LIN back up pumps P73101-201 MP-LIN tank NG-WBV Products take over RESERVE RESERVE							
	38								
	39								
	40								
	41								
	42								
	43								
	44								
	45								
	46								
	47								
	48								
	49								
	50								
	51								
	52								
	53								
	54								
	55								
	56								

Rev.	Date	Name	Checked	Change	Rev.	Date	Name	Checked	Change
1	11.11.2004	Möller	Eichler	Order Spec.					
0	25.10.2004	Möller	Eichler	Initial Version					

		Specification Distribution Manifold				Project-No.: K70101 Location:	
		Air Liquide AGS GmbH				Project: ASU No. 9 KOSICE	

Rev.			Rev.		
	1	Manufacturer		57	
	2	Type		58	<input checked="" type="checkbox"/> Label with label holder
	3	Order No.		59	Text: see below
	4			60	
	5	Bottle diameter		61	<input checked="" type="checkbox"/> Mounting set for wall mounting
	6			62	
	7	Inlet		63	
	8			64	
	9			65	
	10	Drain		66	
	11			67	
	12	Outlet		68	Documents <input type="checkbox"/> German <input checked="" type="checkbox"/> English <input type="checkbox"/> French
	13			69	Quantity per type 4-fold
	14			70	
	15	Fittings		71	
	16			72	<input type="checkbox"/> Material certificate to EN 10204 -3.1B
	17	Material:		73	<input checked="" type="checkbox"/> Manufacturer certificate to EN 10204-2.2
	18	Pipe		74	<input type="checkbox"/> Cleaned, oil and grease free, acc. MG-cert. 06401
	19	Armatures		75	<input type="checkbox"/> Packed acc. MG-cert. 06271
	20	Fittings		76	
	21			77	

Rev.			Rev.		
	22			22	
	23	Destination	Connect.-No.	Connect.-No.	Destination
	24				
	25	UV74090	1	2	
	26				
	27		3	4	
	28				
	29		5	6	
	30				
	31		7	8	
	32				
	33		9	10	
	34				
	35				
	36				

Rev.		<div style="display: flex; justify-content: space-between;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">Remarks</div> <div></div> </div>							
	37								
	38								
	39								
	40								
	41								
	42								
	43								
	44								
	45								
	46								
	47								
	48								
	49								
	50								
	51								
	52								
	53								
	54								
	55								
	56								

0	11.11.2004	Möller	Eichler	Initial Version					
Rev.	Date	Name	Checked	Change	Rev.	Date	Name	Checked	Change