

VAM

X - RAY - DOCUMENTATION

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No	Schw.Nr. Welder No	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test %	Film Anz.	Bemerkung Remark
R0001		700-A-13001	2	ST37.0	700	7,1	2	V1/V2	V	23.09.05						
R0002		700-A-13001	2	ST37.0	700	7,1	3	V3/V4	V	23.09.05						
R0003		700-A-13001	2	ST37.0	700	7,1	5	V5/V1	V	23.09.05						
R0004		250-O-20006	1	1.4541	250	5	17	V9	V	06.10.05						
R0005		250-O-20006	1	1.4541	250	5	16	V9	V	06.10.05						
R0006		250-O-20006	1	1.4541	250	5	15	V9	V	06.10.05						
R0007		250-O-20006	1	1.4541	250	5	14	V9	V	18.11.05						
R0008		250-O-20006	1	1.4541	250	5	13	V9	V	06.10.05						
R0009		250-O-20006	1	1.4541	250	5	11	V9	V	06.10.05						
R0010		250-O-20006	1	1.4541	250	5	10	V9	V	06.10.05						
R0011		250-O-20006	1	1.4541	250	5	9	V9	V	06.10.05						
R0012		250-O-20006	1	1.4541	250	5	8	V9	V	06.10.05						
R0013		250-O-20006	1	1.4541	250	5	6,1	V9	V	06.10.05						
R0014		250-O-20006	1	1.4541	250	5	6	V9	V	06.10.05						
R0015		250-O-20006	1	1.4541	250	5	5	V9	V	06.10.05						
R0016		250-O-20006	1	1.4541	250	5	4	V9	V	18.11.05						
R0017		250-O-20006	2	1.4541	250	5	9	V9	V	06.10.05						
R0018		250-O-20006	2	1.4541	250	5	12	V9	V	06.10.05						
R0019		250-O-20006	1	1.4541	250	5	1	V9	V	06.10.05						
R0020		250-O-20006	1	1.4541	250	5	2	V9	V	06.10.05						
R0021		500-A-15005	2	ST37.0	500	6,3	6	V1/V4	V	06.10.05						
R0022		300-WC-80002	1	ST37.0	300	5,6	6	V8	V	06.10.05						
R0023		700-A-15002	1	ST37.0	500	6,3	4	V4	V	06.10.05						
R0024		200-WC-13020-1	1	ST37.0	200	4,5	19	V3	V	06.10.05						
R0025		200-WC-13020-1	1	ST37.0	200	4,5	20	V3	V	06.10.05						
R0026		200-WC-13020-1	1	ST37.0	200	4,5	21	V3	V	06.10.05						
R0027		200-WC-13020-1	1	ST37.0	200	4,5	22	V3	V	27.10.05						
R0028		700-A-13002	2	ST37.0	700	7,1	5	V9	V	06.10.05						
R0029		700-A-13001	1	ST37.0	700	7,1	12	V6	V	06.10.05						
R0030		150-WC-70021	1	ST37.0	150	4,5	4	V3	V	06.10.05						
R0031		150-WC-80008	1	ST37.0	150	4,5	8	V13	V	06.10.05						
R0032		300-WC-80003	1	ST37.0	300	7,1	1	V6	V	06.10.05						
R0033		300-WC-16003	1	ST37.0	300	7,1	9	V6	V	06.10.05						

2008.10.10

OK

X - RAY - DOCUMENTATION

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No.	Schw.Nr. Welder No.	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test %	Film Anz.	Bemerkung Remark
R0034		300-WC-11003	1	ST37.0	300	7,1	10	V6	V	06.10.05						
R0035		250-O-20006	2	1.4541	250	5	5	V9	V	06.10.05						
R0036		250-O-20006	2	1.4541	250	5	6	V9	V	06.10.05						
R0037		250-O-20006	2	1.4541	250	5	6,1	V9	V	06.10.05						
R0038		250-O-20006	2	1.4541	250	5	7	V9	V	06.10.05						
R0039		250-O-20006	2	1.4541	250	5	1	V2	V	06.10.05						
R0040		250-O-20006	2	1.4541	250	5	1,1	V2	V	06.10.05						
R0041		250-O-20006	2	1.4541	250	5	2	V2	V	06.10.05						
R0042		250-O-20006	2	1.4541	250	5	3	V2	V	06.10.05						Cut revision
R0043		250-O-20006	2	1.4541	250	5	10,2	V2	V	06.10.05						
R0044		250-O-20006	3	1.4541	250	5	13	V2	V	06.10.05						
R0045		250-O-20006	3	1.4541	250	5	2	V2	V	06.10.05						
R0046		250-O-20006	3	1.4541	250	5	3	V2	V	06.10.05						
R0047		250-O-20006	3	1.4541	250	5	11,1	V2	V	06.10.05						Cut revision
R0048		250-O-20006	3	1.4541	25	2	7	V2	V	06.10.05						Cut revision
R0049		250-O-20006	3	1.4541	25	2	8	V2	V	06.10.05						
R0050		150-O-20019-1	1	1.4541	150	4	1	V2	V	06.10.05						
R0051		150-O-20019-1	1	1.4541	150	4	2	V2	V	06.10.05						
R0052		150-O-20019-1	1	1.4541	150	4	3	V2	V	06.10.05						
R0053		150-O-20019-1	1	1.4541	150	4	4	V2	V	06.10.05						
R0054		150-WC-80007-1	1	ST37.0	150	4,5	6	V10	V	27.10.05						
R0055		150-WC-70020	1	ST37.0	150	4,5	4	V13	V	13.10.05						
R0056		100-WC-70023	1	ST37.0	100	3,6	2	V13	V	19.10.05						
R0057		600-N-15006	1	ST37.0	600	6,3	1	V6/V9	V	17.12.05						
R0058		600-N-15012	1	ST37.0	600	6,3	3	V3/V8	V	19.10.05						
R0059		600-N-15010	1	ST37.0	600	6,3	4	V3/V6	V	19.10.05						
R0060		200-WC-13020-1	1	ST37.0	200	4,5	1	V10	V	17.12.05						
R0061		200-WC-80007	1	ST37.0	200	4,5	2	V13	V	17.12.05						
R0062		100-N-15013	1	ST37.0	100	3,6	4	V9	V	13.10.05						
R0063		250-O-20006	3	1.4541	250	5	1	V2	V	03.11.05						
R0064		1000-WC-24301	1	ST37.0	500	6,3	1	V3/V6	V	03.11.05						
R0065		1000-WC-80001	1	ST37.0	500	6,3	8	V1/V7	V	03.11.05						
R0066		700-A-15001	1	ST37.0	700	7,1	6	V8/V9	V	19.10.05						

X - RAY - DOCUMENTATION

VAM

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

X - RAY - DOCUMENTATION

Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No.	Schw.Nr. Welder No	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test %	Film Anz.	Bemerkung Remark
R0067		700-A-15003	1	ST37.0	700	7,1	3	V1/V2	V	19.10.05						
R0068		700-A-13002	1	ST37.0	700	7,1	2	V7/V8	V	19.10.05						
R0069		600-N-15008	1	ST37.0	600	6,3	3	V1/V7	V	19.10.05						
R0070		100-N-15011	1	ST37.0	100	3,6	2	V14	V	19.10.05						
R0071		100-N-15011	1	ST37.0	100	3,6	17	V14	V	19.10.05						
R0072		500-N-20016	1	ST37.0	500	6,3	1	V7/V11	N	27.10.05	41 - 87	V	3.11.05			Film mit Rep. fehlt
R0073		300-O-20019	1	1.4541	300	5,6	1	V2	V	27.10.05						in Schmelze aufgef.
R0074		300-O-20019	1	1.4541	300	5,6	2	V2	V	27.10.05						2/13/04
R0075		300-O-20019	1	1.4541	300	5,6	3	V2	V	27.10.05						
R0076		300-O-20019	1	1.4541	300	5,6	4	V1	V	03.11.05						
R0077		300-O-20019	1	1.4541	300	5,6	6	V2	V	27.10.05						
R0078		300-O-20019	1	1.4541	300	5,6	7	V2	V	03.11.05						
R0079		300-O-20019	1	1.4541	300	5,6	8	V2	V	27.10.05						
R0080		300-O-20019	1	1.4541	300	5,6	9	V2	V	03.11.05						
R0081		300-O-20019	1	1.4541	300	5,6	11	V2	V	27.10.05						
R0082		100-WC-14006	1	ST37.0	100	3,6	6	V15	V	27.10.05						
R0083		80 WC 13032	1	ST37.0	80	3,2	1	V16	V	27.10.05						
R0084		80 WC 14030	1	ST37.0	80	3,2	1	V15	V	03.11.05						
R0085		600-N-20011-1	1	ST37.0	600	6,3	8	V3/V7	V	27.10.05						
R0086		150-WC-80010	1	ST37.0	150	4,5	1	V15	V	27.10.05						
R0087		150-WC-80010	1	ST37.0	150	4,5	13	V5	V	27.10.05						
R0088		100-WC-80011	1	ST37.0	100	3,6	8	V16	V	27.10.05						
R0089		150-WC-13020-2	1	ST37.0	150	4,5	11	V6	V	27.10.05						
R0090		80-WC-13021	1	ST37.0	80	3,2	6	V10	V	27.10.05						
R0091		80-WC-13021	2	ST37.0	80	3,2	8	V16	V	17.12.05						
R0092		80-WC-13021	2	ST37.0	80	3,2	4	V10	V	27.10.05						
R0093		100-A-13003	1	ST37.0	100	3,6	1	V13	V	03.11.05						
R0094		100-A-15004	1	ST37.0	100	3,6	3	V10	V	27.10.05						
R0095		80-WC-12003	2	ST37.0	80	3,2	11	V15	V	27.10.05						
R0096		80-WC-12003	1	ST37.0	80	3,2	7	V16	V	27.10.05						
R0097		200-A-15015-1	1	ST37.0	200	4,5	1	V4	V	27.10.05						
R0098		500-N-20010	1	ST37.0	500	6,3	9	V7/V11	V	27.10.05						
R0099		400-A-15015	1	ST37.0	400	6,3	1	V11	V	27.10.05						

Kosice

X - RAY - DOCUMENTATION

X - RAY - DOCUMENTATION																	
Projekt: ASU No. 9, Kosice																	
Auftrags-Nr.: 5.6948.1																	
Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No.	Schw.Nr. Welder No.	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test %	Film Anz.	Bemerkung Remark	
R0100		700-N-20011	1	ST37.0	700	7,1	16	V7/V11	V	03.11.05				03.11.05			
R0101		250-O-20006	3	1.4541	250	5	12	V9	V	03.11.05				03.11.05			Cut revision
R0102		250-A-16001	1	ST37.0	250	8,8	4,1	V1	V	03.11.05				03.11.05			
R0103		200-WC-80006	1	ST37.0	200	4,5	1	V7	V	03.11.05				03.11.05			
R0104		200-WC-80008	1	ST37.0	200	4,5	1	V13	V	03.11.05				03.11.05			
R0105		250-O-20006	2	1.4541	250	5	4	V9	V	14.11.05				14.11.05			
R0106		250-O-20006	2	1.4541	250	5	10,1	V9	V	14.11.05				14.11.05			
R0107		250-O-20006	2	1.4541	250	5	10,3	V9	V	14.11.05				14.11.05			
R0108		100-N-20004	2	1.4541	100	2,6	6	V9	V	14.11.05				14.11.05			
R0109		100-N-20004	2	1.4541	100	2,6	7	V9	V	14.11.05				14.11.05			
R0110		250-A-16001	1	ST37.0	250	8,8	1	V4	V	14.11.05				14.11.05			
R0111		350-N-75005	2	ST37.0	350	5,6	11	V1	V	14.11.05				14.11.05			
R0112		100-N-20004	3	1.4541	100	2,6	14	V9	V	14.11.05				14.11.05			
R0113		100-N-20004	3	1.4541	100	2,6	15	V9	V	14.11.05				14.11.05			
R0114		500-A-15005	1	ST37.0	500	6,3	9	V1	V	14.11.05				14.11.05			
R0115		500-A-15005	2	ST37.0	500	6,3	1,1	V8/V9	V	14.11.05				14.11.05			
R0116		600-A-11001-1	1	ST37.0	600	6,3	6	V3/V6	V	14.11.05				14.11.05			
R0117		600-A-11001-1	1	ST37.0	600	6,3	12	V1/V4	V	14.11.05				14.11.05			
R0118		700-A-11001	1	ST37.0	700	7,1	5	V1/V2	V	17.12.05				17.12.05			
R0119		400-A-11002	1	ST37.0	300	5,6	4	V7	V	17.12.05				17.12.05			
R0120		400-A-11002	1	ST37.0	400	6,3	1	V4	V	14.11.05				14.11.05			
R0121		100-N-87001	2	ST37.0	100	3,6	2	V5	V	14.11.05				14.11.05			
R0122		100-N-87001	1	ST37.0	100	3,6	9	V5	V	14.11.05				14.11.05			
R0123		100-N-20013	1	ST37.0	100	3,6	15	V15	V	14.11.05				14.11.05			
R0124		100-N-20013	1	ST37.0	100	3,6	13	V16	V	14.11.05				14.11.05			
R0125		80-A-15018	3	ST37.0	80	3,2	8	V15	V	18.11.05				18.11.05			
R0126		80-A-15018	3	ST37.0	80	3,2	15	V16	V	18.11.05				18.11.05			
R0127		100-S-84002	3	ST35.8	100	3,6	5	V9	V	18.11.05				18.11.05			
R0128		100-S-84002	3	ST35.8	100	3,6	6	V9	V	08.12.05				08.12.05			
R0129		100-S-84002	3	ST35.8	100	3,6	7	V2	V	23.11.05				23.11.05			
R0130		100-S-84002	3	ST35.8	100	3,6	8	V9	V	23.11.05				23.11.05			
R0131		100-S-84002	3	ST35.8	100	3,6	9	V1	V	23.11.05				23.11.05			
R0132		100-S-84002	3	ST35.8	100	3,6	11	V1	V	08.12.05				08.12.05			

Kosice

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice
Auftrags-Nr.: 5.6948.1

Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No.	Schw.Nr. Welder No	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test % Anz.	Bemerkung Remark
R0133		250-A-16001	2	ST37.0	250	8,8	8	V12	V	23.11.05					
R0134		250-A-16001	2	ST37.0	250	8,8	9	V12	V	23.11.05					
R0135		250-A-16001	2	ST37.0	250	8,8	5	V4	V	23.11.05					
R0136		50-R-48033	2	1.4541	50	2	8	V15	V	18.11.05					
R0137		50-R-48033	2	1.4541	50	2	5	V15	V	18.11.05					
R0138		50-R-48033	2	1.4541	50	2	4	V15	V	08.12.05					
R0139		50-R-48034	1	1.4541	50	2	1	V15	V	18.11.05					
R0140		50-R-48034	1	1.4541	50	2	2	V15	V	18.11.05					
R0141		600-N-20008	1	ST37.0	600	6,3	9	V5/V16	V	23.11.05					
R0142		250-N-76005	1	ST37.0	250	5	5	V4	V	12.01.06					
R0143		250-N-76005	1	ST37.0	250	5	10	V5	V	12.01.06					
R0144		250-O-20006	2	1.4541	250	5	11	V9	V	08.12.05					
R0145		250-O-20006	1	1.4541	250	5	3	V9	V	21.12.05					
R0146		250-O-20006	1	1.4541	250	5	7	V9	V	22.12.05					
R0147		250-O-20006	1	1.4541	150	4	12	V9	V	08.12.05					
R0148		150-O-20019-1	1	1.4541	150	4	5	V2	V	08.12.05					
R0149		250-N-75005	1	ST37.0	250	5	17	V5	V	23.11.05					
R0150		350-N-75005	1	ST37.0	350	5,6	6	V4	V	08.12.05					
R0151		350-N-75005	1	ST37.0	350	5,6	7	V4	V	08.12.05					
R0152		100-S-84003-1	1	ST35.8	100	3,6	9	V4	V	18.12.05					
R0153		100-S-84003-1	1	ST35.8	100	3,6	10	V4	V	18.12.05					
R0154		100-S-84003-1	1	ST35.8	100	3,6	12	V4	V	18.12.05					
R0155		100-S-84003-1	1	ST35.8	100	3,6	13	V16	V	18.12.05					
R0156		100-S-84003-1	1	ST35.8	100	3,6	14	V4	V	20.12.05					
R0157		100-S-84003-1	1	ST35.8	100	3,6	15	V4	V	18.12.05					
R0158		100-S-84003-1	1	ST35.8	100	3,6	16	V16	V	18.12.05					
R0159		100-S-84003-1	2	ST35.8	100	3,6	1	V16	V	30.11.05					
R0160		100-S-84003-1	2	ST35.8	100	3,6	2	V9	V	17.12.05					
R0161		100-S-84003-1	2	ST35.8	100	3,6	3	V5	V	17.12.05					
R0162		100-S-84003-1	2	ST35.8	100	3,6	4	V9	V	17.12.05					
R0163		100-S-84003-1	2	ST35.8	100	3,6	5	V9	V	17.12.05					
R0164		100-S-84003-1	2	ST35.8	100	3,6	6	V5	V	17.12.05					
R0165		100-S-84003-1	2	ST35.8	100	3,6	9	V16	V	17.12.05					

X - RAY - DOCUMENTATION

X - RAY - DOCUMENTATION															
Projekt: ASU No. 9, Kosice															
Auftrags-Nr.: 5.6948.1															
Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No.	Schw.Nr. Welder No.	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test % Anz.	Bemerkung Remark
R0166		100-S-84003-1	2	ST35.8	100	3,6	7	V16	V	17.12.05					
R0167		100-S-84002	4	ST35.8	100	3,6	1	V1	V	30.11.05					
R0168		100-S-84002	4	ST35.8	100	3,6	2	V9	V	30.11.05					
R0169		100-S-84002	4	ST35.8	100	3,6	3	V4	V	30.11.05					
R0170		100-S-84002	4	ST35.8	100	3,6	4	V4	V	30.11.05					
R0171		100-S-84002	4	ST35.8	100	3,6	5	V4	V	30.11.05					
R0172		100-S-84002	4	ST35.8	100	3,6	7	V1	V	17.12.05					
R0173		100-S-84002	4	ST35.8	100	3,6	8	V1	V	17.12.05					
R0174		100-S-84002	4	ST35.8	100	3,6	10	V1	V	17.12.05					
R0175		150-N-75006	1	ST37.0	150	4,5	3	V4	V	30.11.05					
R0176		150-N-76006	1	ST37.0	150	4,5	3	V2	V	30.11.05					
R0177		50-WC-80005	1	ST37.0	40	2,6	9	V4	V	30.11.05					
R0178		50-WC-80005	1	ST37.0	40	2,6	8	V4	V	30.11.05					
R0179		80-WC-80006-1	1	ST37.0	40	2,6	12	V4	V	30.11.05					
R0180		80-WC-80006-1	1	ST37.0	40	2,6	10	V4	V	30.11.05					
R0181		50-WC-24101	1	ST37.0	50	2,9	8	V4	V	30.11.05					
R0182		50-WC-24101	1	ST37.0	50	2,9	9	V4	V	30.11.05					
R0183		80-WC-24201	1	ST37.0	40	2,6	2	V4	V	30.11.05					
R0184		80-WC-24201	1	ST37.0	50	2,9	8	V4	V	30.11.05					
R0185		600-N-20008	2	ST37.0	600	6,3	8	V15N16	V	17.12.05					
R0186		600-N-20008	2	ST37.0	600	6,3	10	V5N16	V	17.12.05					
R0187		400-N-20009	1	ST37.0	500	6,3	13	V12	V	12.01.06					
R0188		400-N-20009	1	ST37.0	400	6,3	14	V12	V	27.01.06					
R0189		400-N-20008-1	1	ST37.0	500	6,3	3	V3N7	N	19.01.06	0-43		27.01.06		
R0190		400-N-20008-1	2	ST37.0	400	6,3	4	V5	V	20.12.05					
R0191		300-N-70074	1	ST37.0	300	5,6	9	V3	N	09.01.06	20-33/85-90		13.01.06		
R0192		300-N-70074	1	ST37.0	150	4,5	6	V12	N	09.01.06	0-12		13.01.06		
R0193		25-R-48033-1	1	1.4541	25	2	14	V15	V	08.12.05					
R0194		25-R-48033-1	1	1.4541	25	2	15	V15	V	17.12.05					
R0195		25-R-48034-1	1	1.4541	25	2	2	V15	V	08.12.05					
R0196		25-R-48034-1	1	1.4541	25	2	3	V15	V	08.12.05					
R0197		80-RL-44101	1	1.4541	80	2,3	14	V15	V	08.12.05					

VAM

X - RAY - DOCUMENTATION

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No	Schw.Nr. Welder No	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test % Anz.	Bemerkung Remark
R0198		80-RL-44101	1	1.4541	80	2,3	10	V15	V	08.12.05					
R0199		80-RL-44101	1	1.4541	80	2,3	8	V15	V	08.12.05					
R0200		80-RL-44101	2	1.4541	80	2,3	3	V15	V	14.12.05					
R0201		80-RL-44101	2	1.4541	15	1,6	7	V15	V	14.12.05					
R0202		80-RL-44101	3	1.4541	80	2,3	2	V15	V	08.12.05					
R0203		50-RL-44203	1	1.4541	50	2	4	V15	V	14.12.05					
R0204		50-RL-44203	1	1.4541	50	2	8	V15	V	14.12.05					
R0205		50-RL-44203	1	1.4541	50	2	9	V15	V	14.12.05					
R0206		50-NL-23010	1	1.4541	25	2	9	V2	V	18.01.06					
R0207		50-RL-44203	2	1.4541	15	1,6	5	V15	V	14.12.05					
R0208		80-RL-44201	1	1.4541	80	2,3	5	V15	V	08.12.05					
R0209		50-RL-44205	1	1.4541	50	2	9	V15	V	14.12.05					
R0210		50-RL-44205	1	1.4541	50	2	8	V15	V	14.12.05					
R0211		50-RL-44102	1	1.4541	50	2	7	V15	V	14.12.05					
R0212		50-RL-44102	1	1.4541	50	2	8	V15	V	14.12.05					
R0213		50-RL-44102	1	1.4541	50	2	9	V15	V	14.12.05					
R0214		50-RL-44102	1	1.4541	50	2	17	V15	V	14.12.05					
R0215		80-WC-13033	1	ST37.0	80	3,6	1	V16	V	17.12.05					
R0216		200-WC-80006	2	ST37.0	200	4,5	2	V13	V	08.12.05					
R0217		200-WC-80007	2	ST37.0	200	4,5	1	V6	V	08.12.05					
R0218		200-WC-80007	2	ST37.0	150	4,5	5	V3	V	17.12.05					
R0219		200-WC-80009	1	ST37.0	200	4,5	9	V10	V	08.12.05					
R0220		200-WC-80009	1	ST37.0	200	4,5	4	V13	V	08.12.05					
R0221		150-WC-14003	1	ST37.0	150	4,5	3	V13	V	08.12.05					
R0222		150-WC-14001	1	ST37.0	150	4,5	8	V13	V	08.12.05					
R0223		150-WC-14001	1	ST37.0	150	4,5	10	V13	V	08.12.05					
R0224		100-WC-14002	2	ST37.0	100	3,6	13	V6	V	08.12.05					
R0225		100-WC-14002	2	ST37.0	100	3,6	12	V6	V	17.12.05					
R0226		100-WC-14002	2	ST37.0	100	3,6	16	V6	V	08.12.05					
R0227		100-WC-14002	2	ST37.0	100	3,6	14	V3	V	08.12.05					
R0228		50-NL-23010	1	1.4541	25	2	2	V2	V	18.01.06					
R0229		100-WC-14006	2	ST37.0	100	3,6	11	V6	V	12.01.06					
R0230		100-WC-80011	1	ST37.0	100	3,6	12	V16	V	08.12.05					

VAM

X - RAY - DOCUMENTATION

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No	Schw.Nr. Welder No	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test % Anz.	Bemerkung Remark
R0231		100-S-84002	1	ST35.8 I.	100	3,6	1	V2	V	08.12.05					
R0232		100-S-84002	1	ST35.8 I.	100	3,6	2	V2	V	20.12.05					
R0233		100-S-84002	1	ST35.8 I.	100	3,6	3	V3	V	08.12.05					
R0234		100-S-84002	1	ST35.8 I.	100	3,6	4	V4	V	17.12.05					
R0235		100-S-84002	1	ST35.8 I.	100	3,6	5	V4	V	08.12.05					
R0236		100-S-84002	1	ST35.8 I.	100	3,6	7	V4	V	08.12.05					
R0237		100-S-84002	1	ST35.8 I.	100	3,6	6	V4	V	08.12.05					
R0238		100-S-84002	1	ST35.8 I.	100	3,6	8	V4	V	08.12.05					
R0239		100-S-84002	1	ST35.8 I.	100	3,6	9	V4	V	08.12.05					
R0240		100-S-84002	1	ST35.8 I.	100	3,6	10	V1	V	08.12.05					
R0241		100-S-84002	2	ST35.8 I.	100	3,6	11	V4	V	08.12.05					
R0242		100-S-84002	2	ST35.8 I.	100	3,6	10	V3	V	08.12.05					
R0243		100-S-84002	1	ST35.8 I.	100	3,6	13	V1	V	08.12.05					
R0244		100-S-84002	1	ST35.8 I.	100	3,6	14	V1	V	17.12.05					
R0245		100-S-84002	1	ST35.8 I.	100	3,6	15	V1	V	08.12.05					
R0246		250-A-16001	3	ST37.0	80	5,6	5	V3	V	17.12.05					
R0247		250-A-16001	3	ST37.0	80	5,6	7	V7	V	17.12.05					
R0248		250-A-16001	3	ST37.0	80	5,6	8	V7	V	17.12.05					
R0249		250-A-16001	3	ST37.0	80	5,6	9	V7	V	17.12.05					
R0250		250-A-16001	3	ST37.0	250	8,8	14	V16	V	12.01.06					
R0251		250-A-16001	3	ST37.0	250	8,8	15	V7	V	27.01.06					
R0252		250-A-16001	3	ST37.0	250	8,8	17	V7	V	20.12.05					
R0253		250-A-16001	3	ST37.0	250	8,8	18	V7	V	17.12.05					
R0254		250-A-16001	3	ST37.0	250	8,8	20	V7	V	17.12.05					
R0255		250-A-16001	3	ST37.0	250	8,8	21	V7	V	17.12.05					
R0256		250-A-16001	3	ST37.0	250	8,8	22	V7	V	17.12.05					
R0257		150-A-16002	1	ST37.0	150	7,1	1	V5	V	17.12.05					
R0258		150-A-16002	1	ST37.0	150	7,1	2	V5	V	17.12.05					
R0259		150-A-16002	1	ST37.0	150	7,1	3	V7	V	17.12.05					
R0260		150-A-16002	1	ST37.0	150	7,1	4	V5	V	17.12.05					
R0261		150-A-16002	1	ST37.0	100	6,3	5	V5	V	17.12.05					
R0262		25-S-84018	1	ST35.8 I.	25	2,6	1	V6	V	14.12.05					
R0263		25-S-84018	1	ST35.8 I.	25	2,6	2	V6	V	14.12.05					

X - RAY - DOCUMENTATION

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No	Schw.Nr. Weider No	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test %	Film Anz.	Bemerkung Remark
R0264		25-S-84018	1	ST35.8 I.	25	2,6	3	V6	V	14.12.05						
R0265		25-S-84018	1	ST35.8 I.	25	2,6	4	V6	V	14.12.05						
R0266		25-S-84018	1	ST35.8 I.	25	2,6	5	V6	V	14.12.05						
R0267		25-S-84018	1	ST35.8 I.	25	2,6	6	V6	V	14.12.05						
R0268		25-S-84018	1	ST35.8 I.	25	2,6	8	V6	V	14.12.05						
R0269		25-S-84018	1	ST35.8 I.	25	2,6	9	V6	V	14.12.05						
R0270		25-S-84012	1	ST35.8 I.	25	2,6	1	V6	V	14.12.05						
R0271		25-S-84012	1	ST35.8 I.	25	2,6	2	V6	V	14.12.05						
R0272		25-S-84012	1	ST35.8 I.	25	2,6	3	V6	V	14.12.05						
R0273		25-S-84012	1	ST35.8 I.	25	2,6	5	V6	V	14.12.05						
R0274		25-S-84012	1	ST35.8 I.	25	2,6	6	V6	V	14.12.05						
R0275		25-S-84012	1	ST35.8 I.	25	2,6	7	V6	V	14.12.05						
R0276		25-S-84012	1	ST35.8 I.	25	2,6	8	V6	V	14.12.05						
R0277		25-S-84012	1	ST35.8 I.	25	2,6	9	V6	V	14.12.05						
R0278		25-S-84012	1	ST35.8 I.	25	2,6	10	V6	V	14.12.05						
R0279		25-S-84030	1	ST35.8 I.	25	2,6	1	V6	V	17.12.05						
R0280		25-S-84030	1	ST35.8 I.	25	2,6	2	V6	V	17.12.05						
R0281		25-S-84030	1	ST35.8 I.	25	2,6	3	V6	V	17.12.05						
R0282		25-S-84030	1	ST35.8 I.	25	2,6	4	V6	V	17.12.05						
R0283		25-S-84030	1	ST35.8 I.	25	2,6	6	V6	V	17.12.05						
R0284		25-S-84030	1	ST35.8 I.	25	2,6	7	V6	V	17.12.05						
R0285		250-A-16001	1	ST37.0	250	8,8	2	V4	V	21.12.05						
R0286		250-A-16001	1	ST37.0	250	8,8	3	V5	V	19.12.05						
R0287		25-A-16004	2	ST37.0	40	4	1	V6	V	21.12.05						
R0288		25-A-16004	2	ST37.0	25	2,6	1,1	V6	V	21.12.05						
R0289		250-A-16001	1	ST37.0	250	8,8	5	V1	V	19.12.05						
R0290		250-A-16001	1	ST37.0	250	8,8	6	V2	V	19.12.05						
R0291		250-A-16001	1	ST37.0	250	8,8	7	V1	V	12.01.06						
R0292		250-A-16001	1	ST37.0	250	8,8	8	V9	V	10.01.06						
R0293		250-A-16001	1	ST37.0	250	8,8	8,1	V4	V	21.12.05						
R0294		250-A-16001	1	ST37.0	250	8,3	1,1	V9	V	19.12.05						
R0295		50-OL-21009	1	1.4541	50	2	1	V9	V	21.12.05						
R0296		50-OL-21009	1	1.4541	50	2	2	V9	V	21.12.05						

VAM

X - RAY - DOCUMENTATION

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPĐ Ø	Thick- ness	Weld- seam No.	Schw.Nr. Welder No	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test % Anz.	Bemerkung Remark
R0297		50-OL-21009	1	1.4541	50	2	3	V9	V	21.12.05					
R0298		50-OL-21009	1	1.4541	50	2	4	V9	V	21.12.05					
R0299		50-OL-21009	1	1.4541	50	2	5	V9	V	21.12.05					
R0300		50-OL-21009	1	1.4541	50	2	6	V9	V	21.12.05					
R0301		50-OL-21009	1	1.4541	50	2	7	V9	V	21.12.05					
R0302		50-OL-21009	1	1.4541	50	2	8	V9	V	18.12.05					
R0303		50-OL-21009	1	1.4541	50	2	9	V9	V	18.12.05					
R0304		50-OL-21009	1	1.4541	50	2	10	V9	V	18.12.05					
R0305		50-OL-21009	1	1.4541	50	2	11	V9	V	18.12.05					
R0306		50-OL-21009	1	1.4541	50	2	12	V9	V	18.12.05					
R0307		50-OL-21009	1	1.4541	50	2	13	V9	V	18.12.05					
R0308		50-OL-21009	1	1.4541	50	2	14	V9	V	31.01.06					
R0309		50-OL-21009	1	1.4541	50	2	15	V9	V	20.12.05					
R0310		50-OL-21009	1	1.4541	50	2	16	V9	V	18.12.05					
R0311		50-OL-21009	1	1.4541	50	2	17	V9	V	20.12.05					
R0312		50-OL-21009	1	1.4541	50	2	18	V9	V	20.12.05					
R0313		50-OL-21009	1	1.4541	50	2	19	V9	V	19.12.05					
R0314		50-OL-21009	2	1.4541	40	2	1	V9	V	31.01.06					
R0315		50-OL-21009	2	1.4541	50	2	2	V9	V	22.12.05					
R0316		50-OL-21009	2	1.4541	50	2	3	V9	V	22.12.05					
R0317		50-OL-21009	2	1.4541	50	2	4	V9	V	22.12.05					
R0318		50-OL-21009	2	1.4541	50	2	5	V9	V	22.12.05					
R0319		50-OL-21009	2	1.4541	50	2	6	V9	V	22.12.05					
R0320		50-OL-21009	2	1.4541	50	2	7	V9	V	22.12.05					
R0321		50-OL-21009	2	1.4541	50	2	8	V9	V	21.12.05					
R0322		50-OL-21009	2	1.4541	50	2	9	V9	V	22.12.05					
R0323		50-OL-21009	2	1.4541	50	2	10	V9	V	12.01.06					
R0324		25-OL-61204	1	1.4541	25	2	1	V9	V	22.12.05					
R0325		25-A-16004	2	ST37.0	25	2.6	8	V6	V	22.12.05					
R0326		25-A-16004	2	ST37.0	25	2.6	9	V6	V	22.12.05					
R0327		80-OL-61103	1	1.4541	25	2	1	V9	V	18.12.05					
R0328		80-OL-61103	1	1.4541	50	2	2	V9	V	18.12.05					
R0329		80-OL-61103	1	1.4541	80	2.3	3	V9	V	18.12.05					

X - RAY - DOCUMENTATION

X - RAY - DOCUMENTATION															Projekt: ASU No. 9, Kosice	
															Auftrags-Nr.: 5.6948.1	
Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No	Schw.Nr. Welder No	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test % Anz.	Bemerkung Remark	
R0330		80-OL-61103	1	1.4541	80	2,3	4	V9	V	18.12.05						
R0331		80-OL-61103	1	1.4541	80	2,3	5	V9	V	19.12.05						
R0332		80-OL-61103	1	1.4541	80	2,3	6	V9	V	18.12.05						
R0333		80-OL-61103	1	1.4541	80	2,3	7	V9	V	18.12.05						
R0334		80-OL-61103	1	1.4541	80	2,3	8	V9	V	19.12.05						
R0335		80-OL-61103	1	1.4541	80	2,3	9	V9	V	19.12.05						
R0336		80-OL-61103	1	1.4541	87	2,3	10	V9	V	19.12.05						
R0337		25-A-16004	1	ST37.0	25	2,6	2	V4	V	20.12.05						
R0338		25-A-16004	1	ST37.0	25	2,6	3	V4	V	18.12.05						
R0339		25-A-16004	1	ST37.0	25	2,6	4	V4	V	18.12.05						
R0340		50-NL-23010	1	1.4541	25	2	8	V2	V	18.01.06						
R0341		25-A-16004	1	ST37.0	25	2,6	6	V4	V	20.12.05						
R0342		25-A-16004	1	ST37.0	25	2,6	7	V4	V	20.12.05						
R0343		25-A-16004	1	ST37.0	25	2,6	8	V4	V	20.12.05						
R0344		25-A-16004	1	ST37.0	25	2,6	9	V4	V	18.12.05						
R0345		25-N-81026	1	ST37.0	25	2,6	1	V4	V	20.12.05						
R0346		25-N-81026	1	ST37.0	25	2,6	2	V4	V	18.12.05						
R0347		25-N-81026	1	ST37.0	25	2,6	3	V4	V	18.12.05						
R0348		25-N-81026	1	ST37.0	25	2,6	4	V4	V	18.12.05						
R0349		25-N-81026	1	ST37.0	25	2,6	5	V4	V	18.12.05						
R0350		25-N-81026	1	ST37.0	25	2,6	6	V4	V	18.12.05						
R0351		25-N-81026	1	ST37.0	25	2,6	7	V4	V	18.12.05						
R0352		25-N-81026	1	ST37.0	25	2,6	8	V4	V	18.12.05						
R0353		25-N-81026	1	ST37.0	25	2,6	9	V4	V	18.12.05						
R0354		25-N-81026	1	ST37.0	25	2,6	10	V4	V	20.12.05						
R0355		25-N-81026	1	ST37.0	25	2,6	11	V4	V	18.12.05						
R0356		25-N-81026	1	ST37.0	25	2,6	12	V4	V	18.12.05						
R0357		25-N-81026	1	ST37.0	25	2,6	13	V4	V	18.12.05						
R0358		25-N-81026	1	ST37.0	25	2,6	17	V4	V	18.12.05						
R0359		25-N-81026	1	ST37.0	25	2,6	18	V4	V	18.12.05						
R0360		25-N-81026	1	ST37.0	25	2,6	19	V4	V	18.12.05						
R0361		25-N-81026	1	ST37.0	25	2,6	20	V4	V	18.12.05						
R0362		25-N-81026	1	ST37.0	25	2,6	21	V4	V	20.12.05						

VAM

X - RAY - DOCUMENTATION

X - RAY - DOCUMENTATION															Projekt: ASU No. 9, Kosice	
															Auftrags-Nr.: 5.6948.1	
Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No.	Schw.Nr. Welder No	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test %	Film Anz.	Bemerkung Remark
R0363		25-N-81026	1	ST37.0	25	2,6	23	V4	V	18.12.05						
R0364		25-N-81025	1	ST37.0	25	2,6	1	V4	V	20.12.05						
R0365		25-N-81025	1	ST37.0	25	2,6	6	V4	V	21.12.05						
R0366		25-N-81025	1	ST37.0	25	2,6	7	V4	V	21.12.05						
R0367		25-N-81025	1	ST37.0	25	2,6	8	V4	V	21.12.05						
R0368		25-N-81025	1	ST37.0	25	2,6	9	V4	V	20.12.05						
R0369		25-N-81025	1	ST37.0	25	2,6	10	V4	V	20.12.05						
R0370		25-N-81025	1	ST37.0	25	2,6	11	V4	V	20.12.05						
R0371		25-N-81025	1	ST37.0	25	2,6	12	V4	V	20.12.05						
R0372		25-N-81025	1	ST37.0	25	2,6	13	V4	V	20.12.05						
R0373		25-N-81025	1	ST37.0	25	2,6	14	V4	V	21.12.05						
R0374		25-N-81025	1	ST37.0	25	2,6	18	V4	V	20.12.05						
R0375		25-N-81025	1	ST37.0	25	2,6	19	V4	V	20.12.05						
R0376		25-N-81025	1	ST37.0	25	2,6	26	V4	V	20.12.05						
R0377		25-N-81025	1	ST37.0	25	2,6	27	V4	V	19.12.05						
R0378		25-N-81025	1	ST37.0	25	2,6	28	V4	V	19.12.05						
R0379		80-OL-61103	1	1.4541	80	2,3	11	V9	V	31.01.06						
R0380		100-S-84003-1	1	ST35.8	100	3,6	8	V12	V	18.12.05						
R0381		100-S-84003-1	1	ST35.8	100	3,6	7	V16	V	18.12.05						
R0382		50-OL-21024	1	1.4541	50	2	1	V9	V	19.12.05						
R0383		50-OL-21024	1	1.4541	50	2	2	V9	V	19.12.05						
R0384		50-OL-21024	1	1.4541	50	2	3	V9	V	19.12.05						
R0385		50-OL-21024	1	1.4541	50	2	4	V9	V	19.12.05						
R0386		50-OL-21024	1	1.4541	50	2	5	V9	V	19.12.05						
R0387		50-OL-21024	1	1.4541	50	2	6	V9	V	19.12.05						
R0388		50-OL-21024	1	1.4541	50	2	7	V9	V	19.12.05						
R0389		50-OL-21024	1	1.4541	50	2	8	V9	V	19.12.05						
R0390		25-NL-21015	1	1.4541	25	2	18	V9	V	19.12.05						
R0391		25-NL-21015	1	1.4541	25	2	17	V9	V	19.12.05						
R0392		25-NL-21015	1	1.4541	25	2	16	V9	V	19.12.05						
R0393		25-NL-21015	1	1.4541	25	2	15	V9	V	19.12.05						
R0394		25-NL-21015	1	1.4541	25	2	14	V9	V	19.12.05						
R0395		25-NL-21015	1	1.4541	25	2	13	V9	V	19.12.05						

VAM

X - RAY - DOCUMENTATION

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No.	Schw.Nr. Welder No.	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test %	Film Anz.	Bemerkung Remark
R0396		25-NL-21015	1	1.4541	25	2	12	V9	V	19.12.05			19.12.05			
R0397		25-NL-21015	1	1.4541	25	2	11	V9	V	19.12.05			19.12.05			
R0398		25-NL-21015	2	1.4541	25	2	3	V9	V	19.12.05			19.12.05			
R0399		25-NL-21015	2	1.4541	25	2	5	V9	V	19.12.05			19.12.05			
R0400		25-NL-21015	2	1.4541	25	2	4	V9	V	19.12.05			19.12.05			
R0401		25-C-15022	1	ST35.8 I.	25	2,6	6	V7	V	21.12.05			21.12.05			
R0402		25-C-15022	1	ST35.8 I.	25	2,6	7	V7	V	21.12.05			21.12.05			
R0403		25-C-15022	1	ST35.8 I.	25	2,6	8	V7	V	21.12.05			21.12.05			
R0404		25-C-15022	2	ST35.8 I.	25	2,6	21	V7	V	21.12.05			21.12.05			
R0405		25-C-15022	2	ST35.8 I.	25	2,6	20	V7	V	21.12.05			21.12.05			
R0406		25-C-15022	2	ST35.8 I.	25	2,6	18	V3	V	21.12.05			21.12.05			
R0407		25-C-15022	2	ST35.8 I.	25	2,6	17	V3	V	21.12.05			21.12.05			
R0408		25-C-15024	1	ST35.8 I.	25	2,6	2	V3	V	21.12.05			21.12.05			
R0409		50-NL-23010	1	1.4541	25	2	7	V2	V	18.01.06			18.01.06			
R0410		25-N-87008	1	ST37.0	25	2,6	14	V9	V	21.12.05			21.12.05			
R0411		25-N-87008	1	ST37.0	25	2,6	15	V9	V	21.12.05			21.12.05			
R0412		25-N-87007	1	ST37.0	25	2,6	14	V9	V	21.12.05			21.12.05			
R0413		25-N-87007	1	ST37.0	25	2,6	15	V9	V	21.12.05			21.12.05			
R0414		25-N-87006	1	ST37.0	25	2,6	14	V9	V	21.12.05			21.12.05			
R0415		25-N-87006	1	ST37.0	25	2,6	15	V9	V	21.12.05			21.12.05			
R0416		25-N-87005	1	ST37.0	25	2,6	14	V9	V	21.12.05			21.12.05			
R0417		25-N-87005	1	ST37.0	25	2,6	15	V9	V	21.12.05			21.12.05			
R0418		25-N-87004	1	ST37.0	25	2,6	14	V9	V	21.12.05			21.12.05			
R0419		25-N-87004	1	ST37.0	25	2,6	15	V9	V	21.12.05			21.12.05			
R0420		25-N-87008	1	ST37.0	25	2,6	16	V9	V	21.12.05			21.12.05			
R0421		25-N-87007	1	ST37.0	25	2,6	16	V9	V	21.12.05			21.12.05			
R0422		25-N-87006	1	ST37.0	25	2,6	16	V9	V	21.12.05			21.12.05			
R0423		25-N-87005	1	ST37.0	25	2,6	16	V9	V	21.12.05			21.12.05			
R0424		25-N-87004	1	ST37.0	25	2,6	16	V9	V	21.12.05			21.12.05			
R0425		25-S-84010	1	ST35.8 I.	25	2,6	1	V12	V	21.12.05			21.12.05			
R0426		25-S-84010	1	ST35.8 I.	25	2,6	2	V12	V	21.12.05			21.12.05			
R0427		25-S-84010	1	ST35.8 I.	25	2,6	3	V12	V	21.12.05			21.12.05			
R0428		25-S-84010	1	ST35.8 I.	25	2,6	4	V12	V	21.12.05			21.12.05			

VAM

X - RAY - DOCUMENTATION

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No	Schw.Nr. Welder No	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test % Anz.	Bemerkung Remark
R0429		25-S-84010	1	ST35.8 I.	25	2,6	5	V12	V	21.12.05					
R0430		25-S-84010	1	ST35.8 I.	25	2,6	6	V12	V	21.12.05					
R0431		25-S-84011	1	ST35.8 I.	25	2,6	1	V12	V	21.12.05					
R0432		25-S-84011	1	ST35.8 I.	25	2,6	2	V12	V	21.12.05					
R0433		80-A-15018	2	ST37.0	50	2,9	2	V3	V	21.12.05					
R0434		80-A-15018	2	ST37.0	50	2,9	3	V3	V	21.12.05					
R0435		80-A-15018	2	ST37.0	50	2,9	4	V3	V	21.12.05					
R0436		80-A-15018	2	ST37.0	50	2,9	5	V3	V	21.12.05					
R0437		80-A-15018	2	ST37.0	50	2,9	6	V3	V	21.12.05					
R0438		80-OL-90001	1	1.4541	80	2,3	1	V2	V	11.01.06					
R0439		80-OL-90001	1	1.4541	80	2,3	3	V2	V	11.01.06					
R0440		80-OL-90001	1	1.4541	80	2,3	5	V2	V	11.01.06					
R0441		80-OL-90001	1	1.4541	80	2,3	6	V9	V	11.01.06			21/01		Kontrollaufnahme
R0442		80-OL-90001	1	1.4541	80	2,3	7	V2	V	11.01.06					
R0443		80-OL-90001	1	1.4541	50	2	8	V9	V	11.01.06					
R0444		80-OL-90001	1	1.4541	80	2,3	9	V2	V	11.01.06					
R0445		80-OL-90001	1	1.4541	50	2	10	V9	V	11.01.06					
R0446		80-OL-90001	1	1.4541	80	2,3	11	V2	V	11.01.06					
R0447		80-OL-90001	1	1.4541	80	2,3	12	V2	V	11.01.06					
R0448		80-OL-90001	1	1.4541	80	2,3	13	V2	V	11.01.06					
R0449		80-OL-90001	1	1.4541	80	2,3	14	V2	V	11.01.06					
R0450		50-NL-23010	1	1.4541	25	2	6	V2	V	18.01.06					
R0451		50-RL-90002	1	1.4541	20	1,6	2	V2	V	11.01.06					
R0452		50-NL-23010	1	1.4541	25	2	5	V2	V	18.01.06					
R0453		50-RL-90002	1	1.4541	50	2	5	V2	V	11.01.06					
R0454		50-RL-90002	1	1.4541	50	2	6	V2	V	11.01.06					
R0455		50-RL-90002	1	1.4541	50	2	7	V2	V	11.01.06					
R0456		50-RL-90002	1	1.4541	50	2	8	V2	V	11.01.06					
R0457		50-RL-90002	1	1.4541	50	2	9	V2	V	11.01.06					
R0458		50-RL-90002	1	1.4541	50	2	10	V2	V	11.01.06					
R0459		50-NL-23010	1	1.4541	25	2	4	V2	V	18.01.06					
R0460		50-NL-23010	1	1.4541	25	2	3	V2	V	18.01.06					
R0461		50-NL-90004	1	1.4541	20	1,6	2	V4	V	12.01.06					

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice																
Auftrags-Nr.: 5.6948.1																
X - RAY - DOCUMENTATION																
Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No.	Schw.Nr. Welder No.	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test %	Film Anz.	Bemerkung Remark
R0462		50-NL-90004	1	1.4541	50	2	3	V2	V	12.01.06						
R0463		50-NL-90004	1	1.4541	50	2	4	V4	V	12.01.06						
R0464		50-NL-90004	1	1.4541	20	1,6	5	V4	V	12.01.06						
R0465		50-NL-90004	1	1.4541	50	2	7	V4	V	12.01.06						
R0466		50-NL-90004	1	1.4541	25	2	8	V4	V	12.01.06						
R0467		50-NL-90004	1	1.4541	50	2	9	V4	V	12.01.06						
R0468		50-NL-90004	1	1.4541	50	2	10	V4	V	12.01.06						
R0469		50-NL-90004	1	1.4541	50	2	11	V4	V	12.01.06						
R0470		40-OL-40102	2	1.4541	20	1,6	1	V2	V	12.01.06						
R0471		40-OL-40102	2	1.4541	25	2	2	V2	V	12.01.06						
R0472		40-OL-40102	2	1.4541	25	2	3	V2	V	11.01.06						
R0473		40-OL-40102	2	1.4541	25	2	4	V2	V	11.01.06						
R0474		40-OL-40102	2	1.4541	40	2	5	V2	V	11.01.06						
R0475		40-OL-40102	2	1.4541	40	2	6	V2	V	11.01.06						
R0476		40-OL-40102	2	1.4541	40	2	7	V2	V	11.01.06						
R0477		40-OL-40102	2	1.4541	40	2	8	V2	V	11.01.06						
R0478		40-OL-40102	2	1.4541	40	2	9	V2	V	11.01.06						
R0479		40-OL-40102	2	1.4541	40	2	10	V2	V	27.01.06						
R0480		40-OL-40102	2	1.4541	40	2	11	V2	V	11.01.06						
R0481		40-OL-40102	1	1.4541	40	2	1	V2	V	11.01.06						
R0482		40-OL-40102	1	1.4541	40	2	2	V2	V	11.01.06						
R0483		40-OL-40102	1	1.4541	40	2	3	V2	V	12.01.06						
R0484		40-OL-40102	1	1.4541	40	2	4	V2	V	12.01.06						
R0485		40-OL-40102	1	1.4541	40	2	5	V2	V	12.01.06						
R0486		40-OL-40102	1	1.4541	40	2	6	V2	V	12.01.06						
R0487		40-OL-40102	1	1.4541	40	2	7	V2	V	12.01.06						
R0488		40-OL-40102	1	1.4541	40	2	8	V2	V	12.01.06						
R0489		40-OL-40102	1	1.4541	40	2	9	V2	V	12.01.06						
R0490		40-OL-40102	1	1.4541	40	2	10	V2	V	12.01.06						
R0491		40-OL-40102	1	1.4541	40	2	11	V2	V	12.01.06						
R0492		80-OL-90001	1	1.4541	40	2	4	V2	V	11.01.06						
R0493		40-OL-40013	1	1.4541	32	2	1	V2	V	12.01.06						
R0494		40-OL-40013	1	1.4541	40	2	2	V2	V	11.01.06						

VAM

X - RAY - DOCUMENTATION

X - RAY - DOCUMENTATION															
Projekt: ASU No. 9, Kosice															
Auftrags-Nr.: 5.6948.1															
Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No.	Schw.Nr. Welder No.	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test % Anz.	Bemerkung Remark
R0495		100-S-84002	2	ST35.8 I.	100	3,6	1	V4	V	10.01.06					
R0496		100-S-84002	2	ST35.8 I.	100	3,6	2	V4	V	10.01.06					
R0497		100-S-84002	2	ST35.8 I.	100	3,6	3	V4	V	10.01.06					
R0498		100-S-84002	2	ST35.8 I.	100	3,6	4	V4	V	10.01.06					
R0499		100-S-84002	2	ST35.8 I.	100	3,6	5	V3	V	10.01.06					
R0500		100-S-84002	2	ST35.8 I.	100	3,6	6	V3	V	10.01.06					
R0501		100-S-84002	2	ST35.8 I.	100	3,6	7	V7	V	10.01.06					
R0502		250-A-16001	2	ST37.0	250	8,8	6	V2	V	10.01.06					
R0503		250-A-16001	2	ST37.0	250	8,8	10	V12	V	10.01.06					
R0504		250-A-16001	2	ST37.0	250	8,8	11	V16	V	10.01.06					
R0505		250-A-16001	2	ST37.0	250	8,8	13	V4	V	10.01.06					
R0506		250-A-16001	2	ST37.0	250	8,8	14	V2	V	10.01.06					
R0507		250-A-16001	2	ST37.0	250	8,8	15	V3	V	10.01.06					
R0508		250-A-16001	1	ST37.0	250	8,8	1,2	V7	V	10.01.06					
R0509		40-OL-61110	1	1.4541	32	2	1	V2	V	12.01.06					
R0510		40-OL-61110	1	1.4541	40	2	2	V2	V	12.01.06					
R0511		15-OL-61107	1	1.4541	15	1,6	4	V2	V	12.01.06					
R0512		15-OL-61107	1	1.4541	15	1,6	5	V2	V	12.01.06					
R0513		15-OL-61107	1	1.4541	15	1,6	6	V2	V	12.01.06					
R0514		15-OL-61107	1	1.4541	15	1,6	7	V2	V	12.01.06					
R0515		15-OL-61107	1	1.4541	15	1,6	8	V2	V	12.01.06					
R0516		15-OL-61107	1	1.4541	25	2	9	V2	V	12.01.06					
R0517		15-OL-61107	1	1.4541	25	2	10	V2	V	12.01.06					
R0518		40-OL-61110	1	1.4541	40	2	11	V2	V	12.01.06					
R0519		40-OL-61110	1	1.4541	40	2	12	V2	V	12.01.06					
R0520		40-OL-61110	1	1.4541	40	2	13	V2	V	12.01.06					
R0521		40-OL-61110	1	1.4541	25	2	14	V2	V	12.01.06					
R0522		40-OL-61110	1	1.4541	40	2	15	V2	V	12.01.06					
R0523		40-OL-61110	1	1.4541	40	2	16	V2	V	12.01.06					
R0524		25-OL-61104	1	1.4541	20	1,6	1	V2	V	12.01.06					
R0525		25-OL-61104	1	1.4541	25	2	2	V2	V	31.01.06					
R0526		80-OL-61103	1	1.4541	25	2	12	V2	V	18.01.06					
R0527		80-OL-61103	1	1.4541	25	2	13	V2	V	18.01.06					

VAM

X - RAY - DOCUMENTATION

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No.	Schw.Nr. Welder No.	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test %	Film Anz.	Bemerkung Remark
R0528		80-OL-61103	1	1.4541	25	2	14	V2	V	18.01.06						
R0529		80-OL-61103	1	1.4541	25	2	15	V2	V	18.01.06						
R0530		80-OL-61103	1	1.4541	25	2	16	V2	V	18.01.06						
R0531		80-OL-61103	1	1.4541	25	2	17	V2	V	18.01.06						
R0532		80-OL-61103	1	1.4541	25	2	18	V2	V	18.01.06						
R0533		80-OL-61103	1	1.4541	25	2	19	V2	V	18.01.06						
R0534		80-OL-61103	1	1.4541	25	2	20	V2	V	18.01.06						
R0535		25-NL-73017	1	1.4541	25	2	18	V2	V	19.01.06						
R0536		25-NL-73017	1	1.4541	25	2	19	V2	V	19.01.06						
R0537		25-NL-73017	1	1.4541	25	2	20	V2	V	19.01.06						
R0538		25-NL-73017	1	1.4541	25	2	21	V2	V	19.01.06						
R0539		25-NL-73017	1	1.4541	25	2	22	V2	V	19.01.06						
R0540		25-RL-43002	1	1.4541	25	2	1	V2	V	19.01.06						
R0541		25-RL-43002	1	1.4541	25	2	2	V2	V	19.01.06						
R0542		25-RL-43002	1	1.4541	25	2	3	V2	V	19.01.06						
R0543		25-RL-43002	1	1.4541	25	2	4	V2	V	19.01.06						
R0544		250-O-20006	3	1.4541	250	5	4	V1	V	19.01.06						
R0545		250-O-20006	3	1.4541	100	2,6	5	V1	V	19.01.06						
R0546		250-O-20006	3	1.4541	100	2,6	6	V1	V	19.01.06						
R0547		250-O-20006	3	1.4541	100	2,6	7	V1	V	19.01.06						
R0548		250-O-20006	3	1.4541	100	2,6	8	V1	V	27.01.06						
R0549		250-O-20006	3	1.4541	250	5	10	V1	V	19.01.06						
R0550		50-OL-21009	1	1.4541	50	2	20	V2	V	31.01.06						
R0551		50-OL-21009	1	1.4541	50	2	21	V2	V	31.01.06						
R0552		50-OL-21009	1	1.4541	50	2	22	V2	V	31.01.06						
R0553		50-OL-21024	1	1.4541	50	2	9	V2	V	31.01.06						
R0554		50-OL-21024	1	1.4541	50	2	10	V2	V	31.01.06						
R0555		50-OL-21024	1	1.4541	50	2	11	V2	V	31.01.06						
R0556		50-OL-21024	1	1.4541	50	2	12	V2	V	31.01.06						
R0557		50-OL-21024	1	1.4541	50	2	13	V2	V	31.01.06						
R0558		50-OL-21024	1	1.4541	50	2	14	V2	V	31.01.06						
R0559		50-OL-21024	1	1.4541	50	2	15	V2	V	09.02.06						
R0560		250-O-20006	3	1.4541	250	5	12	V1	V	27.01.06						

VAM

X - RAY - DOCUMENTATION

X - RAY - DOCUMENTATION															Projekt: ASU No. 9, Kosice	
															Auftrags-Nr.: 5.6948.1	
Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No.	Schw.Nr. Welder No.	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test %	Film Anz.	Bemerkung Remark
R0561		250-O-20006	2	1.4541	250	5	3	V1	V	27.01.06						
R0562		50-R-48033	3	1.4541	50	2	3	V15	V	27.01.06						
R0563		50-R-48033	3	1.4541	50	2	7	V15	V	27.01.06						
R0564		50-R-48033	3	1.4541	50	2	9	V15	V	27.01.06						
R0565		50-R-48033	3	1.4541	50	2	10	V15	V	27.01.06						
R0566		50-RL-48001	1	1.4541	50	2	15	V15	V	27.01.06						
R0567		50-RL-48001	1	1.4541	50	2	12	V15	V	27.01.06						
R0568		50-RL-48001	1	1.4541	50	2	10	V15	V	27.01.06						
R0569		350-N-75005	1	ST37.0	350	5,6	13	V2	V	27.01.06						
R0570		15-OL-61207	1	1.4541	15	1,6	12	V2	V	31.01.06						
R0571		15-OL-61207	1	1.4541	15	1,6	13	V2	V	31.01.06						
R0572		15-OL-61207	1	1.4541	15	1,6	14	V2	V	31.01.06						
R0573		15-OL-61207	1	1.4541	15	1,6	15	V2	V	31.01.06						
R0574		15-OL-61207	1	1.4541	15	1,6	16	V2	V	31.01.06						
R0575		15-OL-61207	1	1.4541	15	1,6	17	V2	V	31.01.06						
R0576		15-OL-61207	1	1.4541	15	1,6	18	V2	V	31.01.06						
R0577		15-OL-61207	1	1.4541	25	2	19	V2	V	31.01.06						
R0578		15-OL-61207	1	1.4541	25	2	20	V2	V	31.01.06						
R0579		80-OL-90001	1	1.4541	25	2	2,1	V2	V	09.02.06						
R0580		25-S-84014	1	ST35.8 l.	25	2,6	9	V2	V	09.02.06						
R0581		25-S-84014	1	ST35.8 l.	25	2,6	10	V2	V	09.02.06						
R0582		25-S-84014	1	ST35.8 l.	25	2,6	11	V2	V	09.02.06						
R0583		25-S-84014	1	ST35.8 l.	25	2,6	12	V2	V	09.02.06						
R0584		25-S-84014	1	ST35.8 l.	25	2,6	13	V2	V	09.02.06						
R0585		50-A-15040	1	ST37.0	50	2,9	23	V3	V	09.02.06						
R0586		50-A-15040	1	ST37.0	50	2,9	19	V3	V	09.02.06						
R0587																
R0588		50-A-15040	1	ST37.0	50	2,9	14	V3	V	15.02.06						
R0589		50-A-15040	1	ST37.0	50	2,9	13	V3	V	15.02.06						
R0590		50-A-15040	1	ST37.0	50	2,9	12	V3	V	15.02.06						
R0591		50-A-15040	1	ST37.0	50	2,9	11	V3	V	15.02.06						
R0592		50-A-15040	1	ST37.0	50	2,9	10	V3	V	15.02.06						
R0593		50-A-15040	1	ST37.0	50	2,9	8	V3	V	15.02.06						

VAM

X - RAY - DOCUMENTATION

X - RAY - DOCUMENTATION																
Projekt: ASU No. 9, Kosice																
Auftrags-Nr.: 5.6948.1																
Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPĐ Ø	Thick- ness	Weld- seam No.	Schw.Nr. Welder No	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test %	Film Anz.	Bemerkung Remark
R0594		50-A-15040	1	ST37.0	50	2,9	7	V3	V	15.02.06						
R0595		50-A-15040	1	ST37.0	50	2,9	6	V3	V	15.02.06						
R0596		50-A-15040	1	ST37.0	50	2,9	5	V3	V	15.02.06						
R0597		25-A-15043	1	ST37.0	25	2,6	2	V16	V	09.02.06						
R0598		25-A-15043	1	ST37.0	25	2,6	3	V16	V	09.02.06						
R0599		25-A-15044	1	ST37.0	25	2,6	3	V16	V	09.02.06						
R0600		25-A-15044	1	ST37.0	25	2,6	4	V16	V	09.02.06						
R0601		25-A-15044	1	ST37.0	25	2,6	5	V16	V	09.02.06						
R0602		25-A-15044	1	ST37.0	25	2,6	6	V16	V	09.02.06						
R0603		25-A-15044	1	ST37.0	25	2,6	7	V16	V	15.02.06						
R0604		25-A-15044	1	ST37.0	25	2,6	8	V16	V	09.02.06						
R0605		25-A-15045	1	ST37.0	25	2,6	6	V3	V	09.02.06						
R0606		25-A-15045	1	ST37.0	25	2,6	7	V3	V	09.02.06						
R0607		25-A-15045	1	ST37.0	25	2,6	8	V3	V	09.02.06						
R0608		25-A-15045	1	ST37.0	25	2,6	9	V3	V	09.02.06						
R0609		25-A-15042	1	ST37.0	50	2,9	17	V5	V	09.02.06						
R0610		25-A-15042	1	ST37.0	50	2,9	16	V5	V	15.02.06						
R0611		25-A-15042	1	ST37.0	50	2,9	4	V5	V	09.02.06						
R0612		25-A-15042	1	ST37.0	50	2,9	5	V5	V	09.02.06						
R0613		25-A-15042	1	ST37.0	50	2,9	6	V5	V	09.02.06						
R0614		25-A-15042	1	ST37.0	50	2,9	19	V5	V	09.02.06						
R0615		25-A-15042	1	ST37.0	50	2,9	20	V5	V	09.02.06						
R0616		25-A-15042	1	ST37.0	25	2,6	21	V5	V	09.02.06						
R0617		25-A-15042	1	ST37.0	25	2,6	22	V5	V	09.02.06						
R0618		25-A-15042	1	ST37.0	25	2,6	23	V5	V	09.02.06						
R0619		25-A-15042	1	ST37.0	25	2,6	32	V5	V	09.02.06						
R0620		25-A-15042	1	ST37.0	25	2,6	33	V5	V	09.02.06						
R0621		25-A-15042	1	ST37.0	25	2,6	34	V5	V	09.02.06						
R0622		25-A-15042	1	ST37.0	25	2,6	35	V5	V	09.02.06						
R0623		25-C-15020	1	ST37.0	25	2,6	3	V5	V	15.02.06						
R0624		25-C-15020	1	ST37.0	25	2,6	4	V5	V	15.02.06						
R0625		25-C-15020	1	ST37.0	25	2,6	10	V5	V	22.02.06						
R0626		25-C-15020	2	ST37.0	25	2,6	4	V5	V	15.02.06						

Pelzeder 02.03.06

19

Kosice

VAM

X - RAY - DOCUMENTATION

X - RAY - DOCUMENTATION															Projekt: ASU No. 9, Kosice	
															Auftrags-Nr.: 5.6948.1	
Prüf-Nr.: Test-No.	Bf.: Area	Zeichnungs-Nr.: ISOM. No.	Bl. Sh.	Werkstoff Material	NPD Ø	Thick- ness	Weld- seam No	Schw.Nr. Welder No	Accept V / N	Datum Date	Reparatur Repair (cm)	Accept sment	Datum Date	Test %	Film Anz.	Bemerkung Remark
R0627		25-C-15020	2	ST37.0	25	2,6	5	V5	V	15.02.06						
R0628		25-C-15020	2	ST37.0	25	2,6	2	V5	V	15.02.06						
R0629		25-C-15021	2	ST37.0	25	2,6	2	V5	V	16.02.06						
R0630		25-C-15021	2	ST37.0	25	2,6	3	V5	V	16.02.06						
R0631		25-C-15021	2	ST37.0	25	2,6	4	V5	V	16.02.06						
R0632		25-C-15021	1	ST37.0	25	2,6	2	V4	V	15.02.06						
R0633		25-C-15021	1	ST37.0	25	2,6	3	V4	V	16.02.06						
R0634		25-C-15021	1	ST37.0	25	2,6	9	V4	V	15.02.06						
R0635		25-A-15041	1	ST37.0	25	2,6	58	V4	V	16.02.06						
R0636		25-A-15041	1	ST37.0	25	2,6	57	V4	V	16.02.06						
R0637		25-A-15041	1	ST37.0	25	2,6	42	V4	V	16.02.06						
R0638		25-A-15041	1	ST37.0	25	2,6	43	V4	V	16.02.06						
R0639		25-A-15041	1	ST37.0	25	2,6	34	V4	V	15.02.06						
R0640		25-A-15041	1	ST37.0	25	2,6	29	V4	V	22.02.06						
R0641		25-A-15041	1	ST37.0	25	2,6	27	V4	V	22.02.06						
R0642		50-OL-21024	1	1.4541	50	2	1,1	V2	V	16.02.06						
R0643		40-OL-40102	1	1.4541	40	2	4	V2	V	16.02.06						
R0644		40-OL-40102	1	1.4541	40	2	12	V2	V	16.02.06						
R0645		40-OL-40102	1	1.4541	40	2	13	V2	V	16.02.06						
R0646		40-OL-40102	1	1.4541	40	2	14	V2	V	16.02.06						
R0647		40-OL-40102	1	1.4541	40	2	15	V2	V	16.02.06						
R0648		40-OL-40102	1	1.4541	40	2	16	V2	V	16.02.06						
R0649		40-OL-40102	1	1.4541	40	2	17	V2	V	16.02.06						
R0650		40-OL-40102	1	1.4541	40	2	18	V2	V	16.02.06						
R0651		40-OL-40102	1	1.4541	40	2	19	V2	V	16.02.06						
R0652		25-O-61108	1	1.4541	20	1,6	1	V2	V	22.02.06						
R0653		25-O-61108	1	1.4541	20	1,6	2	V2	V	22.02.06						
R0654		25-O-61108	1	1.4541	20	1,6	3	V2	V	22.02.06						
R0655		25-O-61108	1	1.4541	20	1,6	4	V2	V	22.02.06						
R0656		25-O-61108	1	1.4541	20	1,6	5	V2	V	22.02.06						
R0657		25-O-61108	1	1.4541	20	1,6	6	V2	V	22.02.06						
R0658		25-O-61108	1	1.4541	20	1,6	7	V2	V	22.02.06						
R0659		25-O-61108	1	1.4541	20	1,6	8	V2	V	22.02.06						

X - RAY - DOCUMENTATION

Projekt:	ASU No. 9, Kosice
Auftrags-Nr.:	5.6948.1

Pelzeder 02.03.06