

X - RAY - DOCUMENTATION

ASU No. 9, Kosice

Auftrags-Nr.:	5.6948.1
---------------	----------

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice
Auftrags-Nr.: 5.6948.1

Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.	Werkstoff	NPD	Thick-	Weld-	Schw.Nr.	Accept	Datum	Reparatur	Accept	Datum	Test	Film	Bemerkung
R0004		250-O-20006	1	1.4541	250	5	17	V9	V	06.10.05		V	06.10.05	1		
R0005		250-O-20006	1	1.4541	250	5	16	V9	V	06.10.05		V	06.10.05	1		
R0006		250-O-20006	1	1.4541	250	5	15	V9	V	06.10.05		V	06.10.05	1		
R0007		250-O-20006	1	1.4541	250	5	14	V9	V	18.11.05		V	18.11.05	1		
R0008		250-O-20006	1	1.4541	250	5	13	V9	V	06.10.05		V	06.10.05	1		
R0009		250-O-20006	1	1.4541	250	5	11	V9	V	06.10.05		V	06.10.05	1		
R0010		250-O-20006	1	1.4541	250	5	10	V9	V	06.10.05		V	06.10.05	1		
R0011		250-O-20006	1	1.4541	250	5	9	V9	V	06.10.05		V	06.10.05	1		
R0012		250-O-20006	1	1.4541	250	5	8	V9	V	06.10.05		V	06.10.05	1		
R0013		250-O-20006	1	1.4541	250	5	6,1	V9	V	06.10.05		V	06.10.05	1		
R0014		250-O-20006	1	1.4541	250	5	6	V9	V	06.10.05		V	06.10.05	1		
R0015		250-O-20006	1	1.4541	250	5	5	V9	V	06.10.05		V	06.10.05	1		
R0016		250-O-20006	1	1.4541	250	5	4	V9	V	18.11.05		V	18.11.05	1		
R0017		250-O-20006	2	1.4541	250	5	9	V9	V	06.10.05		V	06.10.05	1		
R0018		250-O-20006	2	1.4541	250	5	12	V9	V	06.10.05		V	06.10.05	1		
R0019		250-O-20006	1	1.4541	250	5	1	V9	V	06.10.05		V	06.10.05	1		
R0020		250-O-20006	1	1.4541	250	5	2	V9	V	06.10.05		V	06.10.05	1		
R0035		250-O-20006	2	1.4541	250	5	5	V9	V	06.10.05		V	06.10.05	1		
R0036		250-O-20006	2	1.4541	250	5	6	V9	V	06.10.05		V	06.10.05	1		
R0037		250-O-20006	2	1.4541	250	5	6,1	V9	V	06.10.05		V	06.10.05	1		
R0038		250-O-20006	2	1.4541	250	5	7	V9	V	06.10.05		V	06.10.05	1		
R0039		250-O-20006	2	1.4541	250	5	1	V2	V	06.10.05		V	06.10.05	1		
R0040		250-O-20006	2	1.4541	250	5	1,1	V2	V	06.10.05		V	06.10.05	1		
R0041		250-O-20006	2	1.4541	250	5	2	V2	V	06.10.05		V	06.10.05	1		Cut revision
R0042		250-O-20006	2	1.4541	250	5	3	V2	V	06.10.05		V	06.10.05	1		
R0043		250-O-20006	2	1.4541	250	5	10,2	V2	V	06.10.05		V	06.10.05	1		
R0044		250-O-20006	3	1.4541	250	5	13	V2	V	06.10.05		V	06.10.05	1		
R0045		250-O-20006	3	1.4541	250	5	2	V2	V	06.10.05		V	06.10.05	1		
R0046		250-O-20006	3	1.4541	250	5	3	V2	V	06.10.05		V	06.10.05	1		
R0047		250-O-20006	3	1.4541	250	5	11,1	V2	V	06.10.05		V	06.10.05	1		
R0063		250-O-20006	3	1.4541	250	5	1	V2	V	03.11.05		V	03.11.05	1		
R0101		250-O-20006	3	1.4541	250	5	12	V9	V	03.11.05		V	03.11.05	1		Cut revision
R0102		250-A-16001	1	ST37.0	250	8,8	4,1	V1	V	03.11.05		V	03.11.05	1		
R0105		250-O-20006	2	1.4541	250	5	4	V9	V	14.11.05		V	14.11.05	1		

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice
Auftrags-Nr.: 5.6948.1

Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.	Werkstoff	NPD	Thick-	Weid-	Schw.Nr.	Accept	Datum	Reparatur	Accept	Datum	Test	Film	Bemerkung
R0106		250-O-20006	2	1.4541	250	5	10.1	V9	V	14.11.05		V	14.11.05	1		
R0107		250-O-20006	2	1.4541	250	5	10.3	V9	V	14.11.05		V	14.11.05	1		
R0110		250-A-16001	1	ST37.0	250	8.8	1	V4	V	14.11.05		V	14.11.05	1		
R0133		250-A-16001	2	ST37.0	250	8.8	8	V12	V	23.11.05		V	23.11.05	1		
R0134		250-A-16001	2	ST37.0	250	8.8	9	V12	V	23.11.05		V	23.11.05	1		
R0135		250-A-16001	2	ST37.0	250	8.8	5	V4	V	23.11.05		V	23.11.05	1		
R0142		250-N-76005	1	ST37.0	250	5	5	V4	V	12.01.06		V	12.01.06	1		
R0143		250-N-76005	1	ST37.0	250	5	10	V5	V	12.01.06		V	12.01.06	1		
R0144		250-O-20006	2	1.4541	250	5	11	V9	V	08.12.05		V	08.12.05	1		
R0145		250-O-20006	1	1.4541	250	5	3	V9	V	21.12.05		V	21.12.05	1		
R0146		250-O-20006	1	1.4541	250	5	7	V9	V	22.12.05		V	22.12.05	1		
R0149		250-N-75005-1	1	ST37.0	250	5	17	V5	V	23.11.05		V	23.11.05	1		
R0250		250-A-16001	3	ST37.0	250	8.8	14	V16	V	12.01.06		V	12.01.06	1		
R0251		250-A-16001	3	ST37.0	250	8.8	15	V7	V	27.01.06		V	27.01.06	1		
R0252		250-A-16001	3	ST37.0	250	8.8	17	V7	V	20.12.05		V	20.12.05	1		
R0253		250-A-16001	3	ST37.0	250	8.8	18	V7	V	17.12.05		V	17.12.05	1		
R0254		250-A-16001	3	ST37.0	250	8.8	20	V7	V	17.12.05		V	17.12.05	1		
R0255		250-A-16001	3	ST37.0	250	8.8	21	V7	V	17.12.05		V	17.12.05	1		
R0256		250-A-16001	3	ST37.0	250	8.8	22	V7	V	17.12.05		V	17.12.05	1		
R0285		250-A-16001	1	ST37.0	250	8.8	2	V4	V	21.12.05		V	21.12.05	1		
R0286		250-A-16001	1	ST37.0	250	8.8	3	V5	V	19.12.05		V	19.12.05	1		
R0289		250-A-16001	1	ST37.0	250	8.8	5	V1	V	19.12.05		V	19.12.05	1		
R0290		250-A-16001	1	ST37.0	250	8.8	6	V2	V	19.12.05		V	19.12.05	1		
R0291		250-A-16001	1	ST37.0	250	8.8	7	V1	V	12.01.06		V	12.01.06	1		
R0292		250-A-16001	1	ST37.0	250	8.8	8	V9	V	10.01.06		V	10.01.06	1		
R0293		250-A-16001	1	ST37.0	250	8.8	8.1	V4	V	21.12.05		V	21.12.05	1		
R0294		250-A-16001	1	ST37.0	250	8.8	1.1	V9	V	19.12.05		V	19.12.05	1		
R0502		250-A-16001	2	ST37.0	250	8.8	6	V2	V	10.01.06		V	10.01.06	1		
R0503		250-A-16001	2	ST37.0	250	8.8	10	V12	V	10.01.06		V	10.01.06	1		
R0504		250-A-16001	2	ST37.0	250	8.8	11	V16	V	10.01.06		V	10.01.06	1		
R0505		250-A-16001	2	ST37.0	250	8.8	13	V4	V	10.01.06		V	10.01.06	1		
R0506		250-A-16001	2	ST37.0	250	8.8	14	V2	V	10.01.06		V	10.01.06	1		
R0507		250-A-16001	2	ST37.0	250	8.8	15	V3	V	10.01.06		V	10.01.06	1		
R0508		250-A-16001	1	ST37.0	250	8.8	1.2	V7	V	10.01.06		V	10.01.06	1		

VAM

X - RAY - DOCUMENTATION

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.:	Werkstoff	NPD	Thick-	Weld-	Schw.Nr.	Accept	Datum	Reparatur	Accept	Datum	Test	Film	Bemerkung
R0030		150-WC-70021	1	ST37.0	150	4,5	4	V3	V	06.10.05		V	06.10.05	1		
R0031		150-WC-80008-1	1	ST37.0	150	4,5	8	V13	V	06.10.05		V	06.10.05	1		
R0050		150-O-20019-1	1	1.4541	150	4	1	V2	V	06.10.05		V	06.10.05	1		
R0051		150-O-20019-1	1	1.4541	150	4	2	V2	V	06.10.05		V	06.10.05	1		
R0052		150-O-20019-1	1	1.4541	150	4	3	V2	V	06.10.05		V	06.10.05	1		
R0053		150-O-20019-1	1	1.4541	150	4	4	V2	V	06.10.05		V	06.10.05	1		
R0054		150-WC-80007-1	1	ST37.0	150	4,5	6	V10	V	27.10.05		V	27.10.05	1		
R0055		150-WC-70020	1	ST37.0	150	4,5	4	V13	V	13.10.05		V	13.10.05	1		
R0086		150-WC-80010	1	ST37.0	150	4,5	1	V15	V	27.10.05		V	27.10.05	1		
R0087		150-WC-80010	1	ST37.0	150	4,5	13	V5	V	27.10.05		V	27.10.05	1		
R0089		150-WC-13020-2	1	ST37.0	150	4,5	11	V6	V	27.10.05		V	27.10.05	1		
R0147		250-O-20006	1	1.4541	150	4	12	V9	V	08.12.05		V	08.12.05	1		
R0148		150-O-20019-1	1	1.4541	150	4	5	V2	V	08.12.05		V	08.12.05	1		
R0175		150-N-75006	1	ST37.0	150	4,5	3	V4	V	30.11.05		V	30.11.05	1		
R0176		150-N-76006	1	ST37.0	150	4,5	3	V2	V	30.11.05		V	30.11.05	1		
R0192		300-N-70074	1	ST37.0	150	4,5	6	V12	N	09.01.06	0 - 12	V	13.01.06	1		
R0218		200-WC-80007	2	ST37.0	150	4,5	5	V3	V	17.12.05		V	17.12.05	1		
R0221		150-WC-14003	1	ST37.0	150	4,5	3	V13	V	08.12.05		V	08.12.05	1		
R0222		150-WC-14001	1	ST37.0	150	4,5	8	V13	V	08.12.05		V	08.12.05	1		
R0223		150-WC-14001	1	ST37.0	150	4,5	10	V13	V	08.12.05		V	08.12.05	1		
R0257		150-A-16002	1	ST37.0	150	7,1	1	V5	V	17.12.05		V	17.12.05	1		
R0258		150-A-16002	1	ST37.0	150	7,1	2	V5	V	17.12.05		V	17.12.05	1		
R0259		150-A-16002	1	ST37.0	150	7,1	3	V7	V	17.12.05		V	17.12.05	1		
R0260		150-A-16002	1	ST37.0	150	7,1	4	V5	V	17.12.05		V	17.12.05	1		
														24		16.7.8%

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice
Auftrags-Nr.: 5.6948.1

Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.	Werkstoff	NPD	Thick-	Weld-	Schw.Nr.	Accept	Datum	Reparatur	Accept	Datum	Test	Film	Bemerkung
R0056		100-WC-70023	1	ST37.0	100	3,6	2	V13	V	19.10.05		V	19.10.05	1		
R0062		100-N-15013	1	ST37.0	100	3,6	4	V9	V	13.10.05		V	13.10.05	1		
R0070		100-N-15011	1	ST37.0	100	3,6	2	V14	V	19.10.05		V	19.10.05	1		
R0071		100-N-15011	1	ST37.0	100	3,6	17	V14	V	19.10.05		V	19.10.05	1		
R0082		100-WC-14006	1	ST37.0	100	3,6	6	V15	V	27.10.05		V	27.10.05	1		
R0088		100-WC-80011	1	ST37.0	100	3,6	8	V16	V	27.10.05		V	27.10.05	1		
R0093		100-A-13003	1	ST37.0	100	3,6	1	V13	V	03.11.05		V	03.11.05	1		
R0094		100-A-15004	1	ST37.0	100	3,6	3	V10	V	27.10.05		V	27.10.05	1		
R0108		100-N-20004	2	1.4541	100	2,6	6	V9	V	14.11.05		V	14.11.05	1		
R0109		100-N-20004	2	1.4541	100	2,6	7	V9	V	14.11.05		V	14.11.05	1		
R0112		100-N-20004	3	1.4541	100	2,6	14	V9	V	14.11.05		V	14.11.05	1		
R0113		100-N-20004	3	1.4541	100	2,6	15	V9	V	14.11.05		V	14.11.05	1		
R0121		100-N-87001	2	ST37.0	100	3,6	2	V5	V	14.11.05		V	14.11.05	1		
R0122		100-N-87001	1	ST37.0	100	3,6	9	V5	V	14.11.05		V	14.11.05	1		
R0123		100-N-20013	1	ST37.0	100	3,6	15	V15	V	14.11.05		V	14.11.05	1		
R0124		100-N-20013	1	ST37.0	100	3,6	13	V16	V	14.11.05		V	14.11.05	1		
R0127		100-S-84002	3	ST35.8	100	3,6	5	V9	V	18.11.05		V	18.11.05	1		
R0128		100-S-84002	3	ST35.8	100	3,6	6	V9	V	08.12.05		V	08.12.05	1		
R0129		100-S-84002	3	ST35.8	100	3,6	7	V2	V	23.11.05		V	23.11.05	1		
R0130		100-S-84002	3	ST35.8	100	3,6	8	V9	V	23.11.05		V	23.11.05	1		
R0131		100-S-84002	3	ST35.8	100	3,6	9	V1	V	23.11.05		V	23.11.05	1		
R0132		100-S-84002	3	ST35.8	100	3,6	11	V1	V	08.12.05		V	08.12.05	1		
R0152		100-S-84003-1	1	ST35.8	100	3,6	9	V4	V	18.12.05		V	18.12.05	1		
R0153		100-S-84003-1	1	ST35.8	100	3,6	10	V4	V	18.12.05		V	18.12.05	1		
R0154		100-S-84003-1	1	ST35.8	100	3,6	12	V4	V	18.12.05		V	18.12.05	1		
R0155		100-S-84003-1	1	ST35.8	100	3,6	13	V16	V	18.12.05		V	18.12.05	1		
R0156		100-S-84003-1	1	ST35.8	100	3,6	14	V4	V	20.12.05		V	20.12.05	1		
R0157		100-S-84003-1	1	ST35.8	100	3,6	15	V4	V	18.12.05		V	18.12.05	1		
R0158		100-S-84003-1	1	ST35.8	100	3,6	16	V16	V	18.12.05		V	18.12.05	1		
R0159		100-S-84003-1	2	ST35.8	100	3,6	1	V16	V	30.11.05		V	30.11.05	1		
R0160		100-S-84003-1	2	ST35.8	100	3,6	2	V9	V	17.12.05		V	17.12.05	1		
R0161		100-S-84003-1	2	ST35.8	100	3,6	3	V5	V	17.12.05		V	17.12.05	1		
R0162		100-S-84003-1	2	ST35.8	100	3,6	4	V9	V	17.12.05		V	17.12.05	1		
R0163		100-S-84003-1	2	ST35.8	100	3,6	5	V9	V	17.12.05		V	17.12.05	1		

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice
Auftrags-Nr.: 5.6948.1

Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.	Werkstoff	NPD	Thick-	Weid-	Schw.Nr.	Accept	Datum	Reparatur	Accept	Datum	Test	Film	Bemerkung
R0164		100-S-84003-1	2	ST35.8	100	3.6	6	V5	V	17.12.05		V	17.12.05	1		
R0165		100-S-84003-1	2	ST35.8	100	3.6	9	V16	V	17.12.05		V	17.12.05	1		
R0166		100-S-84003-1	2	ST35.8	100	3.6	7	V16	V	17.12.05		V	17.12.05	1		
R0167		100-S-84002	4	ST35.8	100	3.6	1	V1	V	30.11.05		V	30.11.05	1		
R0168		100-S-84002	4	ST35.8	100	3.6	2	V9	V	30.11.05		V	30.11.05	1		
R0169		100-S-84002	4	ST35.8	100	3.6	3	V4	V	30.11.05		V	30.11.05	1		
R0170		100-S-84002	4	ST35.8	100	3.6	4	V4	V	30.11.05		V	30.11.05	1		
R0171		100-S-84002	4	ST35.8	100	3.6	5	V4	V	30.11.05		V	30.11.05	1		
R0172		100-S-84002	4	ST35.8	100	3.6	7	V1	V	17.12.05		V	17.12.05	1		
R0173		100-S-84002	4	ST35.8	100	3.6	8	V1	V	17.12.05		V	17.12.05	1		
R0174		100-S-84002	4	ST35.8	100	3.6	10	V1	V	17.12.05		V	17.12.05	1		
R0224		100-WC-14002	2	ST37.0	100	3.6	13	V6	V	08.12.05		V	08.12.05	1		
R0225		100-WC-14002	2	ST37.0	100	3.6	12	V6	V	17.12.05		V	17.12.05	1		
R0226		100-WC-14002	2	ST37.0	100	3.6	16	V6	V	08.12.05		V	08.12.05	1		
R0227		100-WC-14002	2	ST37.0	100	3.6	14	V3	V	08.12.05		V	08.12.05	1		
R0229		100-WC-14006	2	ST37.0	100	3.6	11	V6	V	12.01.06		V	12.01.06	1		
R0230		100-WC-80011	1	ST37.0	100	3.6	12	V16	V	08.12.05		V	08.12.05	1		
R0231		100-S-84002	1	ST35.8 I,	100	3.6	1	V2	V	08.12.05		V	08.12.05	1		
R0232		100-S-84002	1	ST35.8 I,	100	3.6	2	V2	V	20.12.05		V	20.12.05	1		
R0233		100-S-84002	1	ST35.8 I,	100	3.6	3	V3	V	08.12.05		V	08.12.05	1		
R0234		100-S-84002	1	ST35.8 I,	100	3.6	4	V4	V	17.12.05		V	17.12.05	1		
R0235		100-S-84002	1	ST35.8 I,	100	3.6	5	V4	V	08.12.05		V	08.12.05	1		
R0236		100-S-84002	1	ST35.8 I,	100	3.6	7	V4	V	08.12.05		V	08.12.05	1		
R0237		100-S-84002	1	ST35.8 I,	100	3.6	6	V4	V	08.12.05		V	08.12.05	1		
R0238		100-S-84002	1	ST35.8 I,	100	3.6	8	V4	V	08.12.05		V	08.12.05	1		
R0239		100-S-84002	1	ST35.8 I,	100	3.6	9	V4	V	08.12.05		V	08.12.05	1		
R0240		100-S-84002	1	ST35.8 I,	100	3.6	10	V1	V	08.12.05		V	08.12.05	1		
R0241		100-S-84002	2	ST35.8 I,	100	3.6	11	V4	V	08.12.05		V	08.12.05	1		
R0242		100-S-84002	2	ST35.8 I,	100	3.6	10	V3	V	08.12.05		V	08.12.05	1		
R0243		100-S-84002	1	ST35.8 I,	100	3.6	13	V1	V	08.12.05		V	08.12.05	1		
R0244		100-S-84002	1	ST35.8 I,	100	3.6	14	V1	V	17.12.05		V	17.12.05	1		
R0245		100-S-84002	1	ST35.8 I,	100	3.6	15	V1	V	08.12.05		V	08.12.05	1		
R0261		150-A-16002	1	ST37.0	100	6.3	5	V5	V	17.12.05		V	17.12.05	1		
R0380		100-S-84003-1	1	ST35.8	100	3.6	8	V12	V	18.12.05		V	18.12.05	1		

Pelzeder 01.03.06



Auftrags-Nr.: 5.6948.1

Auftrags-Nr.: 5.6948.1



VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice
Auftrags-Nr.: 5.6948.1

Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.:	Werkstoff	NPD	Thick-	Weld-	Schw.Nr.	Accept	Datum	Reparatur	Accept	Datum	Test	Film	Bemerkung
R0083		80-WC-13032	1	ST37.0	80	3,2	1	V16	V	27.10.05		V	27.10.05		1	
R0084		80-WC-14030	1	ST37.0	80	3,2	1	V15	V	03.11.05		V	03.11.05		1	
R0090		80-WC-13021	1	ST37.0	80	3,2	6	V10	V	27.10.05		V	27.10.05		1	
R0091		80-WC-13021	2	ST37.0	80	3,2	8	V16	V	17.12.05		V	17.12.05		1	
R0092		80-WC-13021	2	ST37.0	80	3,2	4	V10	V	27.10.05		V	27.10.05		1	
R0095		80-WC-12003	2	ST37.0	80	3,2	11	V15	V	27.10.05		V	27.10.05		1	
R0096		80-WC-12003	1	ST37.0	80	3,2	7	V16	V	27.10.05		V	27.10.05		1	
R0125		80-A-15018	3	ST37.0	80	3,2	8	V15	V	18.11.05		V	18.11.05		1	
R0126		80-A-15018	3	ST37.0	80	3,2	15	V16	V	18.11.05		V	18.11.05		1	
R0197		80-RL-44101	1	1.4541	80	2,3	14	V15	V	08.12.05		V	08.12.05		1	
R0198		80-RL-44101	1	1.4541	80	2,3	10	V15	V	08.12.05		V	08.12.05		1	
R0199		80-RL-44101	1	1.4541	80	2,3	8	V15	V	08.12.05		V	08.12.05		1	
R0200		80-RL-44101	2	1.4541	80	2,3	3	V15	V	14.12.05		V	14.12.05		1	
R0202		80-RL-44101	3	1.4541	80	2,3	2	V15	V	08.12.05		V	08.12.05		1	
R0208		80-RL-44201	1	1.4541	80	2,3	5	V15	V	08.12.05		V	08.12.05		1	
R0215		80-WC-13033	1	ST37.0	80	3,6	1	V16	V	17.12.05		V	17.12.05		1	
R0246		250-A-16001	3	ST37.0	80	5,6	5	V3	V	17.12.05		V	17.12.05		1	
R0247		250-A-16001	3	ST37.0	80	5,6	7	V7	V	17.12.05		V	17.12.05		1	
R0248		250-A-16001	3	ST37.0	80	5,6	8	V7	V	17.12.05		V	17.12.05		1	
R0249		250-A-16001	3	ST37.0	80	5,6	9	V7	V	17.12.05		V	17.12.05		1	
R0329		80-OL-61103	1	1.4541	80	2,3	3	V9	V	18.12.05		V	18.12.05		1	
R0330		80-OL-61103	1	1.4541	80	2,3	4	V9	V	18.12.05		V	18.12.05		1	
R0331		80-OL-61103	1	1.4541	80	2,3	5	V9	V	19.12.05		V	19.12.05		1	
R0332		80-OL-61103	1	1.4541	80	2,3	6	V9	V	18.12.05		V	18.12.05		1	
R0333		80-OL-61103	1	1.4541	80	2,3	7	V9	V	18.12.05		V	18.12.05		1	
R0334		80-OL-61103	1	1.4541	80	2,3	8	V9	V	19.12.05		V	19.12.05		1	
R0335		80-OL-61103	1	1.4541	80	2,3	9	V9	V	19.12.05		V	19.12.05		1	
R0336		80-OL-61103	1	1.4541	80	2,3	10	V9	V	19.12.05		V	19.12.05		1	
R0379		80-OL-61103	1	1.4541	80	2,3	11	V9	V	31.01.06		V	31.01.06		1	
R0438		80-OL-90001	1	1.4541	80	2,3	1	V2	V	11.01.06		V	11.01.06		1	
R0439		80-OL-90001	1	1.4541	80	2,3	3	V2	V	11.01.06		V	11.01.06		1	
R0440		80-OL-90001	1	1.4541	80	2,3	5	V2	V	11.01.06		V	11.01.06		1	
R0441		80-OL-90001	1	1.4541	80	2,3	6	V9	V	11.01.06		V	11.01.06		1	Kontrollaufnahme
R0442		80-OL-90001	1	1.4541	80	2,3	7	V2	V	11.01.06		V	11.01.06		1	

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice
Auftrags-Nr.: 5.6948.1

Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.	Werkstoff	NPD	Thick-	Weld-	Schw.Nr.	Accept	Datum	Reparatur	Accept	Datum	Test	Film	Bemerkung
R0136		50-R-48033	2	1.4541	50	2	8	V15	V	18.11.05		V	18.11.05		1	1
R0137		50-R-48033	2	1.4541	50	2	5	V15	V	18.11.05		V	18.11.05		1	1
R0138		50-R-48033	2	1.4541	50	2	4	V15	V	08.12.05		V	08.12.05		1	1
R0139		50-R-48034	1	1.4541	50	2	1	V15	V	18.11.05		V	18.11.05		1	1
R0140		50-R-48034	1	1.4541	50	2	2	V15	V	18.11.05		V	18.11.05		1	1
R0181		50-WC-24101	1	ST37.0	50	2,9	8	V4	V	30.11.05		V	30.11.05		1	1
R0182		50-WC-24101	1	ST37.0	50	2,9	9	V4	V	30.11.05		V	30.11.05		1	1
R0184		80-WC-24201	1	ST37.0	50	2,9	8	V4	V	30.11.05		V	30.11.05		1	1
R0203		50-RL-44203	1	1.4541	50	2	4	V15	V	14.12.05		V	14.12.05		1	1
R0204		50-RL-44203	1	1.4541	50	2	8	V15	V	14.12.05		V	14.12.05		1	1
R0205		50-RL-44203	1	1.4541	50	2	9	V15	V	14.12.05		V	14.12.05		1	1
R0209		50-RL-44205	1	1.4541	50	2	9	V15	V	14.12.05		V	14.12.05		1	1
R0210		50-RL-44205	1	1.4541	50	2	8	V15	V	14.12.05		V	14.12.05		1	1
R0211		50-RL-44102	1	1.4541	50	2	7	V15	V	14.12.05		V	14.12.05		1	1
R0212		50-RL-44102	1	1.4541	50	2	8	V15	V	14.12.05		V	14.12.05		1	1
R0213		50-RL-44102	1	1.4541	50	2	9	V15	V	14.12.05		V	14.12.05		1	1
R0214		50-RL-44102	1	1.4541	50	2	17	V15	V	14.12.05		V	14.12.05		1	1
R0295		50-OL-21009	1	1.4541	50	2	1	V9	V	21.12.05		V	21.12.05		1	1
R0296		50-OL-21009	1	1.4541	50	2	2	V9	V	21.12.05		V	21.12.05		1	1
R0297		50-OL-21009	1	1.4541	50	2	3	V9	V	21.12.05		V	21.12.05		1	1
R0298		50-OL-21009	1	1.4541	50	2	4	V9	V	21.12.05		V	21.12.05		1	1
R0299		50-OL-21009	1	1.4541	50	2	5	V9	V	21.12.05		V	21.12.05		1	1
R0300		50-OL-21009	1	1.4541	50	2	6	V9	V	21.12.05		V	21.12.05		1	1
R0301		50-OL-21009	1	1.4541	50	2	7	V9	V	21.12.05		V	21.12.05		1	1
R0302		50-OL-21009	1	1.4541	50	2	8	V9	V	18.12.05		V	18.12.05		1	1
R0303		50-OL-21009	1	1.4541	50	2	9	V9	V	18.12.05		V	18.12.05		1	1
R0304		50-OL-21009	1	1.4541	50	2	10	V9	V	18.12.05		V	18.12.05		1	1
R0305		50-OL-21009	1	1.4541	50	2	11	V9	V	18.12.05		V	18.12.05		1	1
R0306		50-OL-21009	1	1.4541	50	2	12	V9	V	18.12.05		V	18.12.05		1	1
R0307		50-OL-21009	1	1.4541	50	2	13	V9	V	18.12.05		V	18.12.05		1	1
R0308		50-OL-21009	1	1.4541	50	2	14	V9	V	31.01.06		V	31.01.06		1	1
R0309		50-OL-21009	1	1.4541	50	2	15	V9	V	20.12.05		V	20.12.05		1	1
R0310		50-OL-21009	1	1.4541	50	2	16	V9	V	18.12.05		V	18.12.05		1	1
R0311		50-OL-21009	1	1.4541	50	2	17	V9	V	20.12.05		V	20.12.05		1	1

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice											
Auftrags-Nr.: 5.6948.1											
Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.:	Werkstoff	NPD	Thick-	Weld-	Schw.Nr.	Accept	Datum	Reparatur
R0312		50-OL-21009	1	1.4541	50	2	18	V9	V	20.12.05	
R0313		50-OL-21009	1	1.4541	50	2	19	V9	V	19.12.05	
R0315		50-OL-21009	2	1.4541	50	2	2	V9	V	22.12.05	
R0316		50-OL-21009	2	1.4541	50	2	3	V9	V	22.12.05	
R0317		50-OL-21009	2	1.4541	50	2	4	V9	V	22.12.05	
R0318		50-OL-21009	2	1.4541	50	2	5	V9	V	22.12.05	
R0319		50-OL-21009	2	1.4541	50	2	6	V9	V	22.12.05	
R0320		50-OL-21009	2	1.4541	50	2	7	V9	V	22.12.05	
R0321		50-OL-21009	2	1.4541	50	2	8	V9	V	21.12.05	
R0322		50-OL-21009	2	1.4541	50	2	9	V9	V	22.12.05	
R0323		50-OL-21009	2	1.4541	50	2	10	V9	V	12.01.06	
R0328		80-OL-61103	1	1.4541	50	2	2	V9	V	18.12.05	
R0382		50-OL-21024	1	1.4541	50	2	1	V9	V	19.12.05	
R0383		50-OL-21024	1	1.4541	50	2	2	V9	V	19.12.05	
R0384		50-OL-21024	1	1.4541	50	2	3	V9	V	19.12.05	
R0385		50-OL-21024	1	1.4541	50	2	4	V9	V	19.12.05	
R0386		50-OL-21024	1	1.4541	50	2	5	V9	V	19.12.05	
R0387		50-OL-21024	1	1.4541	50	2	6	V9	V	19.12.05	
R0388		50-OL-21024	1	1.4541	50	2	7	V9	V	19.12.05	
R0389		50-OL-21024	1	1.4541	50	2	8	V9	V	19.12.05	
R0433		80-A-15018	2	ST37.0	50	2.9	2	V3	V	21.12.05	
R0434		80-A-15018	2	ST37.0	50	2.9	3	V3	V	21.12.05	
R0435		80-A-15018	2	ST37.0	50	2.9	4	V3	V	21.12.05	
R0436		80-A-15018	2	ST37.0	50	2.9	5	V3	V	21.12.05	
R0437		80-A-15018	2	ST37.0	50	2.9	6	V3	V	21.12.05	
R0443		80-OL-90001	1	1.4541	50	2	8	V9	V	11.01.06	
R0445		80-OL-90001	1	1.4541	50	2	10	V9	V	11.01.06	
R0453		50-RL-90002	1	1.4541	50	2	5	V2	V	11.01.06	
R0454		50-RL-90002	1	1.4541	50	2	6	V2	V	11.01.06	
R0455		50-RL-90002	1	1.4541	50	2	7	V2	V	11.01.06	
R0456		50-RL-90002	1	1.4541	50	2	8	V2	V	11.01.06	
R0457		50-RL-90002	1	1.4541	50	2	9	V2	V	11.01.06	
R0458		50-RL-90002	1	1.4541	50	2	10	V2	V	11.01.06	
R0462		50-NL-90004	1	1.4541	50	2	3	V2	V	12.01.06	

WAM

X - RAY - DOCUMENTATION

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.	Werkstoff	NPD	Thick-	Weid-	Schw.Nr.	Accept	Datum	Reparatur	Accept	Datum	Test	Film	Bemerkung
R0463		50-NL-90004	1	1.4541	50	2	4	V4	V	12.01.06			12.01.06		1	
R0465		50-NL-90004	1	1.4541	50	2	7	V4	V	12.01.06			12.01.06		1	
R0467		50-NL-90004	1	1.4541	50	2	9	V4	V	12.01.06			12.01.06		1	
R0468		50-NL-90004	1	1.4541	50	2	10	V4	V	12.01.06			12.01.06		1	
R0469		50-NL-90004	1	1.4541	50	2	11	V4	V	12.01.06			12.01.06		1	
R0550		50-OL-21009	1	1.4541	50	2	20	V2	V	31.01.06			31.01.06		1	
R0551		50-OL-21009	1	1.4541	50	2	21	V2	V	31.01.06			31.01.06		1	
R0552		50-OL-21009	1	1.4541	50	2	22	V2	V	31.01.06			31.01.06		1	
R0553		50-OL-21024	1	1.4541	50	2	9	V2	V	31.01.06			31.01.06		1	
R0554		50-OL-21024	1	1.4541	50	2	10	V2	V	31.01.06			31.01.06		1	
R0555		50-OL-21024	1	1.4541	50	2	11	V2	V	31.01.06			31.01.06		1	
R0556		50-OL-21024	1	1.4541	50	2	12	V2	V	31.01.06			31.01.06		1	
R0557		50-OL-21024	1	1.4541	50	2	13	V2	V	31.01.06			31.01.06		1	
R0558		50-OL-21024	1	1.4541	50	2	14	V2	V	31.01.06			31.01.06		1	
										09.02.06					1	
R0562		50-R-48033	3	1.4541	50	2	3	V15	V	27.01.06			27.01.06		1	
R0563		50-R-48033	3	1.4541	50	2	7	V15	V	27.01.06			27.01.06		1	
R0564		50-R-48033	3	1.4541	50	2	9	V15	V	27.01.06			27.01.06		1	
R0565		50-R-48033	3	1.4541	50	2	10	V15	V	27.01.06			27.01.06		1	
R0566		50-RL-48001	1	1.4541	50	2	15	V15	V	27.01.06			27.01.06		1	
R0567		50-RL-48001	1	1.4541	50	2	12	V15	V	27.01.06			27.01.06		1	
R0568		50-RL-48001	1	1.4541	50	2	10	V15	V	27.01.06			27.01.06		1	
R0585		50-A-15040	1	ST37.0	50	2,9	23	V3	V	09.02.06			09.02.06		1	
R0586		50-A-15040	1	ST37.0	50	2,9	19	V3	V	09.02.06			09.02.06		1	
R0588		50-A-15040	1	ST37.0	50	2,9	14	V3	V	15.02.06			15.02.06		1	
R0589		50-A-15040	1	ST37.0	50	2,9	13	V3	V	15.02.06			15.02.06		1	
R0590		50-A-15040	1	ST37.0	50	2,9	12	V3	V	15.02.06			15.02.06		1	
R0591		50-A-15040	1	ST37.0	50	2,9	11	V3	V	15.02.06			15.02.06		1	
R0592		50-A-15040	1	ST37.0	50	2,9	10	V3	V	15.02.06			15.02.06		1	
R0593		50-A-15040	1	ST37.0	50	2,9	8	V3	V	15.02.06			15.02.06		1	
R0594		50-A-15040	1	ST37.0	50	2,9	7	V3	V	15.02.06			15.02.06		1	
R0595		50-A-15040	1	ST37.0	50	2,9	6	V3	V	15.02.06			15.02.06		1	
R0596		50-A-15040	1	ST37.0	50	2,9	5	V3	V	15.02.06			15.02.06		1	
R0609		25-A-15042	1	ST37.0	50	2,9	17	V5	V	09.02.06			09.02.06		1	



VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice
Auftrags-Nr.: 5.6948.1

Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.:	Werkstoff	NPD	Thick-	Weld-	Schw.Nr.	Accept	Datum	Reparatur	Accept	Datum	Test	Film	Bemerkung
R0177		50-WC-80005	1	ST37.0	40	2.6	9	V4	V	30.11.05		V	30.11.05		1	1
R0178		50-WC-80005	1	ST37.0	40	2.6	8	V4	V	30.11.05		V	30.11.05		1	1
R0179		80-WC-80006-1	1	ST37.0	40	2.6	12	V4	V	30.11.05		V	30.11.05		1	1
R0180		80-WC-80006-1	1	ST37.0	40	2.6	10	V4	V	30.11.05		V	30.11.05		1	1
R0183		80-WC-24201	1	ST37.0	40	2.6	2	V4	V	30.11.05		V	30.11.05		1	1
R0287		25-A-16004	2	ST37.0	40	4	1	V6	V	21.12.05		V	21.12.05		1	1
R0314		50-OL-21009	2	1.4541	40	2	1	V9	V	31.01.06		V	31.01.06		1	1
R0474		40-OL-40102	2	1.4541	40	2	5	V2	V	11.01.06		V	11.01.06		1	1
R0475		40-OL-40102	2	1.4541	40	2	6	V2	V	11.01.06		V	11.01.06		1	1
R0476		40-OL-40102	2	1.4541	40	2	7	V2	V	11.01.06		V	11.01.06		1	1
R0477		40-OL-40102	2	1.4541	40	2	8	V2	V	11.01.06		V	11.01.06		1	1
R0478		40-OL-40102	2	1.4541	40	2	9	V2	V	11.01.06		V	11.01.06		1	1
R0479		40-OL-40102	2	1.4541	40	2	10	V2	V	27.01.06		V	27.01.06		1	1
R0480		40-OL-40102	2	1.4541	40	2	11	V2	V	11.01.06		V	11.01.06		1	1
R0481		40-OL-40102	1	1.4541	40	2	1	V2	V	11.01.06		V	11.01.06		1	1
R0482		40-OL-40102	1	1.4541	40	2	2	V2	V	11.01.06		V	11.01.06		1	1
R0483		40-OL-40102	1	1.4541	40	2	3	V2	V	12.01.06		V	12.01.06		1	1
R0484		40-OL-40102	1	1.4541	40	2	4	V2	V	12.01.06		V	12.01.06		1	Cut revision
R0485		40-OL-40102	1	1.4541	40	2	5	V2	V	12.01.06		V	12.01.06		1	1
R0486		40-OL-40102	1	1.4541	40	2	6	V2	V	12.01.06		V	12.01.06		1	1
R0487		40-OL-40102	1	1.4541	40	2	7	V2	V	12.01.06		V	12.01.06		1	1
R0488		40-OL-40102	1	1.4541	40	2	8	V2	V	12.01.06		V	12.01.06		1	1
R0489		40-OL-40102	1	1.4541	40	2	9	V2	V	12.01.06		V	12.01.06		1	1
R0490		40-OL-40102	1	1.4541	40	2	10	V2	V	12.01.06		V	12.01.06		1	1
R0491		40-OL-40102	1	1.4541	40	2	11	V2	V	12.01.06		V	12.01.06		1	1
R0492		80-OL-90001	1	1.4541	40	2	4	V2	V	11.01.06		V	11.01.06		1	1
R0494		40-OL-40013	1	1.4541	40	2	2	V2	V	11.01.06		V	11.01.06		1	1
R0510		40-OL-61110	1	1.4541	40	2	2	V2	V	12.01.06		V	12.01.06		1	1
R0518		40-OL-61110	1	1.4541	40	2	11	V2	V	12.01.06		V	12.01.06		1	1
R0519		40-OL-61110	1	1.4541	40	2	12	V2	V	12.01.06		V	12.01.06		1	1
R0520		40-OL-61110	1	1.4541	40	2	13	V2	V	12.01.06		V	12.01.06		1	1
R0522		40-OL-61110	1	1.4541	40	2	15	V2	V	12.01.06		V	12.01.06		1	1
R0523		40-OL-61110	1	1.4541	40	2	16	V2	V	12.01.06		V	12.01.06		1	1
R0643		40-OL-40102	1	1.4541	40	2	4	V2	V	16.02.06		V	16.02.06		1	1

()

8

Auftrags-Nr.: 5.6948.1

Auftrags-Nr.: 5.6948.1

VAM

X - RAY - DOCUMENTATION

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.:	Werkstoff	NPD	Thick-	Weld-	Schw.Nr.	Accept	Datum	Reparatur	Accept	Datum	Test	Film	Bemerkung
R0048		250-O-20006	3	1.4541	25	2	7	V2	V	06.10.05		V	06.10.05		1	Cut revision
R0049		250-O-20006	3	1.4541	25	2	8	V2	V	06.10.05		V	06.10.05		1	Cut revision
R0193		25-R-48033-1	1	1.4541	25	2	14	V15	V	08.12.05		V	08.12.05		1	
R0194		25-R-48033-1	1	1.4541	25	2	15	V15	V	17.12.05		V	17.12.05		1	
R0195		25-R-48034-1	1	1.4541	25	2	2	V15	V	08.12.05		V	08.12.05		1	
R0196		25-R-48034-1	1	1.4541	25	2	3	V15	V	08.12.05		V	08.12.05		1	
R0206		50-NL-23010	1	1.4541	25	2	9	V2	V	18.01.06		V	18.01.06		1	
R0228		50-NL-23010	1	1.4541	25	2	2	V2	V	18.01.06		V	18.01.06		1	
R0262		25-S-84018	1	ST35.8 I.	25	2,6	1	V6	V	14.12.05		V	14.12.05		1	
R0263		25-S-84018	1	ST35.8 I.	25	2,6	2	V6	V	14.12.05		V	14.12.05		1	
R0264		25-S-84018	1	ST35.8 I.	25	2,6	3	V6	V	14.12.05		V	14.12.05		1	
R0265		25-S-84018	1	ST35.8 I.	25	2,6	4	V6	V	14.12.05		V	14.12.05		1	
R0266		25-S-84018	1	ST35.8 I.	25	2,6	5	V6	V	14.12.05		V	14.12.05		1	
R0267		25-S-84018	1	ST35.8 I.	25	2,6	6	V6	V	14.12.05		V	14.12.05		1	
R0268		25-S-84018	1	ST35.8 I.	25	2,6	8	V6	V	14.12.05		V	14.12.05		1	
R0269		25-S-84018	1	ST35.8 I.	25	2,6	9	V6	V	14.12.05		V	14.12.05		1	
R0270		25-S-84012	1	ST35.8 I.	25	2,6	1	V6	V	14.12.05		V	14.12.05		1	
R0271		25-S-84012	1	ST35.8 I.	25	2,6	2	V6	V	14.12.05		V	14.12.05		1	
R0272		25-S-84012	1	ST35.8 I.	25	2,6	3	V6	V	14.12.05		V	14.12.05		1	
R0273		25-S-84012	1	ST35.8 I.	25	2,6	5	V6	V	14.12.05		V	14.12.05		1	
R0274		25-S-84012	1	ST35.8 I.	25	2,6	6	V6	V	14.12.05		V	14.12.05		1	
R0275		25-S-84012	1	ST35.8 I.	25	2,6	7	V6	V	14.12.05		V	14.12.05		1	
R0276		25-S-84012	1	ST35.8 I.	25	2,6	8	V6	V	14.12.05		V	14.12.05		1	
R0277		25-S-84012	1	ST35.8 I.	25	2,6	9	V6	V	14.12.05		V	14.12.05		1	
R0278		25-S-84012	1	ST35.8 I.	25	2,6	10	V6	V	14.12.05		V	14.12.05		1	
R0279		25-S-84030	1	ST35.8 I.	25	2,6	1	V6	V	17.12.05		V	17.12.05		1	
R0280		25-S-84030	1	ST35.8 I.	25	2,6	2	V6	V	17.12.05		V	17.12.05		1	
R0281		25-S-84030	1	ST35.8 I.	25	2,6	3	V6	V	17.12.05		V	17.12.05		1	
R0282		25-S-84030	1	ST35.8 I.	25	2,6	4	V6	V	17.12.05		V	17.12.05		1	
R0283		25-S-84030	1	ST35.8 I.	25	2,6	6	V6	V	17.12.05		V	17.12.05		1	
R0284		25-S-84030	1	ST35.8 I.	25	2,6	7	V6	V	17.12.05		V	17.12.05		1	
R0288		25-A-16004	2	ST37.0	25	2,6	1,1	V6	V	21.12.05		V	21.12.05		1	
R0324		25-OL-61204	1	1.4541	25	2	1	V9	V	22.12.05		V	22.12.05		1	Cut revision
R0325		25-A-16004	2	ST37.0	25	2,6	8	V6	V	22.12.05		V	22.12.05		1	Cut revision

VAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice
Auftrags-Nr.: 5.6948.1

Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.	Werkstoff	NPD	Thick-	Weld-	Schw.Nr.	Accept	Datum	Reparatur	Accept	Datum	Test	Film	Bemerkung
R0326		25-A-16004	2	ST37.0	25	2,6	9	V6	V	22.12.05		V	22.12.05		1	
R0327		80-OL-61103	1	1.4541	25	2	1	V9	V	18.12.05		V	18.12.05		1	
R0337		25-A-16004	1	ST37.0	25	2,6	2	V4	V	20.12.05		V	20.12.05		1	
R0338		25-A-16004	1	ST37.0	25	2,6	3	V4	V	18.12.05		V	18.12.05		1	
R0339		25-A-16004	1	ST37.0	25	2,6	4	V4	V	18.12.05		V	18.12.05		1	
R0340		50-NL-23010	1	1.4541	25	2	8	V2	V	18.01.06		V	18.01.06		1	
R0341		25-A-16004	1	ST37.0	25	2,6	6	V4	V	20.12.05		V	20.12.05		1	
R0342		25-A-16004	1	ST37.0	25	2,6	7	V4	V	20.12.05		V	20.12.05		1	
R0343		25-A-16004	1	ST37.0	25	2,6	8	V4	V	20.12.05		V	20.12.05		1	
R0344		25-A-16004	1	ST37.0	25	2,6	9	V4	V	18.12.05		V	18.12.05		1	
R0345		25-N-81026	1	ST37.0	25	2,6	1	V4	V	20.12.05		V	20.12.05		1	
R0346		25-N-81026	1	ST37.0	25	2,6	2	V4	V	18.12.05		V	18.12.05		1	
R0347		25-N-81026	1	ST37.0	25	2,6	3	V4	V	18.12.05		V	18.12.05		1	
R0348		25-N-81026	1	ST37.0	25	2,6	4	V4	V	18.12.05		V	18.12.05		1	
R0349		25-N-81026	1	ST37.0	25	2,6	5	V4	V	18.12.05		V	18.12.05		1	
R0350		25-N-81026	1	ST37.0	25	2,6	6	V4	V	18.12.05		V	18.12.05		1	
R0351		25-N-81026	1	ST37.0	25	2,6	7	V4	V	18.12.05		V	18.12.05		1	
R0352		25-N-81026	1	ST37.0	25	2,6	8	V4	V	18.12.05		V	18.12.05		1	
R0353		25-N-81026	1	ST37.0	25	2,6	9	V4	V	18.12.05		V	18.12.05		1	
R0354		25-N-81026	1	ST37.0	25	2,6	10	V4	V	20.12.05		V	20.12.05		1	
R0355		25-N-81026	1	ST37.0	25	2,6	11	V4	V	18.12.05		V	18.12.05		1	
R0356		25-N-81026	1	ST37.0	25	2,6	12	V4	V	18.12.05		V	18.12.05		1	
R0357		25-N-81026	1	ST37.0	25	2,6	13	V4	V	18.12.05		V	18.12.05		1	
R0358		25-N-81026	1	ST37.0	25	2,6	17	V4	V	18.12.05		V	18.12.05		1	
R0359		25-N-81026	1	ST37.0	25	2,6	18	V4	V	18.12.05		V	18.12.05		1	
R0360		25-N-81026	1	ST37.0	25	2,6	19	V4	V	18.12.05		V	18.12.05		1	
R0361		25-N-81026	1	ST37.0	25	2,6	20	V4	V	18.12.05		V	18.12.05		1	
R0362		25-N-81026	1	ST37.0	25	2,6	21	V4	V	20.12.05		V	20.12.05		1	
R0363		25-N-81026	1	ST37.0	25	2,6	23	V4	V	18.12.05		V	18.12.05		1	
R0364		25-N-81025	1	ST37.0	25	2,6	1	V4	V	20.12.05		V	20.12.05		1	
R0365		25-N-81025	1	ST37.0	25	2,6	6	V4	V	21.12.05		V	21.12.05		1	
R0366		25-N-81025	1	ST37.0	25	2,6	7	V4	V	21.12.05		V	21.12.05		1	
R0367		25-N-81025	1	ST37.0	25	2,6	8	V4	V	21.12.05		V	21.12.05		1	
R0368		25-N-81025	1	ST37.0	25	2,6	9	V4	V	20.12.05		V	20.12.05		1	

WAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice											
Auftrags-Nr.: 5.6948.1											
Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.	Werkstoff	NPD	Thick-	Weld-	Schw.Nr.	Accept	Datum	Reparatur
R0369		25-N-81025	1	ST37.0	25	2,6	10	V4	V	20.12.05	
R0370		25-N-81025	1	ST37.0	25	2,6	11	V4	V	20.12.05	
R0371		25-N-81025	1	ST37.0	25	2,6	12	V4	V	20.12.05	
R0372		25-N-81025	1	ST37.0	25	2,6	13	V4	V	20.12.05	
R0373		25-N-81025	1	ST37.0	25	2,6	14	V4	V	20.12.05	
R0374		25-N-81025	1	ST37.0	25	2,6	18	V4	V	20.12.05	
R0375		25-N-81025	1	ST37.0	25	2,6	19	V4	V	20.12.05	
R0376		25-N-81025	1	ST37.0	25	2,6	26	V4	V	20.12.05	
R0377		25-N-81025	1	ST37.0	25	2,6	27	V4	V	19.12.05	
R0378		25-N-81025	1	ST37.0	25	2,6	28	V4	V	19.12.05	
R0390		25-NL-21015	1	1.4541	25	2	18	V9	V	19.12.05	
R0391		25-NL-21015	1	1.4541	25	2	17	V9	V	19.12.05	
R0392		25-NL-21015	1	1.4541	25	2	16	V9	V	19.12.05	
R0393		25-NL-21015	1	1.4541	25	2	15	V9	V	19.12.05	
R0394		25-NL-21015	1	1.4541	25	2	14	V9	V	19.12.05	
R0395		25-NL-21015	1	1.4541	25	2	13	V9	V	19.12.05	
R0396		25-NL-21015	1	1.4541	25	2	12	V9	V	19.12.05	
R0397		25-NL-21015	1	1.4541	25	2	11	V9	V	19.12.05	
R0398		25-NL-21015	2	1.4541	25	2	3	V9	V	19.12.05	
R0399		25-NL-21015	2	1.4541	25	2	5	V9	V	19.12.05	
R0400		25-NL-21015	2	1.4541	25	2	4	V9	V	19.12.05	
R0401		25-C-15022	1	ST35.8.1	25	2,6	6	V7	V	21.12.05	
R0402		25-C-15022	1	ST35.8.1	25	2,6	7	V7	V	21.12.05	
R0403		25-C-15022	1	ST35.8.1	25	2,6	8	V7	V	21.12.05	
R0404		25-C-15022	2	ST35.8.1	25	2,6	21	V7	V	21.12.05	
R0405		25-C-15022	2	ST35.8.1	25	2,6	20	V7	V	21.12.05	
R0406		25-C-15022	2	ST35.8.1	25	2,6	18	V3	V	21.12.05	
R0407		25-C-15022	2	ST35.8.1	25	2,6	17	V3	V	21.12.05	
R0408		25-C-15024	1	ST35.8.1	25	2,6	2	V3	V	21.12.05	
R0409		50-NL-23010	1	1.4541	25	2	7	V2	V	18.01.06	
R0410		25-N-87008	1	ST37.0	25	2,6	14	V9	V	21.12.05	
R0411		25-N-87008	1	ST37.0	25	2,6	15	V9	V	21.12.05	
R0412		25-N-87007	1	ST37.0	25	2,6	14	V9	V	21.12.05	
R0413		25-N-87007	1	ST37.0	25	2,6	15	V9	V	21.12.05	

HAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice
Auftrags-Nr.: 5.6948.1

Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.	Werkstoff	NPD	Thick-	Weld-	Schw.Nr.	Accept	Datum	Reparatur	Accept	Datum	Test	Film	Bemerkung
R0414		25-N-87006	1	ST37.0	25	2,6	14	V9	V	21.12.05		V	21.12.05		1	
R0415		25-N-87006	1	ST37.0	25	2,6	15	V9	V	21.12.05		V	21.12.05		1	
R0416		25-N-87005	1	ST37.0	25	2,6	14	V9	V	21.12.05		V	21.12.05		1	
R0417		25-N-87005	1	ST37.0	25	2,6	15	V9	V	21.12.05		V	21.12.05		1	
R0418		25-N-87004	1	ST37.0	25	2,6	14	V9	V	21.12.05		V	21.12.05		1	
R0419		25-N-87004	1	ST37.0	25	2,6	15	V9	V	21.12.05		V	21.12.05		1	
R0420		25-N-87008	1	ST37.0	25	2,6	16	V9	V	21.12.05		V	21.12.05		1	
R0421		25-N-87007	1	ST37.0	25	2,6	16	V9	V	21.12.05		V	21.12.05		1	
R0422		25-N-87006	1	ST37.0	25	2,6	16	V9	V	21.12.05		V	21.12.05		1	
R0423		25-N-87005	1	ST37.0	25	2,6	16	V9	V	21.12.05		V	21.12.05		1	
R0424		25-N-87004	1	ST37.0	25	2,6	16	V9	V	21.12.05		V	21.12.05		1	
R0425		25-S-84010	1	ST35.8 I.	25	2,6	1	V12	V	21.12.05		V	21.12.05		1	
R0426		25-S-84010	1	ST35.8 I.	25	2,6	2	V12	V	21.12.05		V	21.12.05		1	
R0427		25-S-84010	1	ST35.8 I.	25	2,6	3	V12	V	21.12.05		V	21.12.05		1	
R0428		25-S-84010	1	ST35.8 I.	25	2,6	4	V12	V	21.12.05		V	21.12.05		1	
R0429		25-S-84010	1	ST35.8 I.	25	2,6	5	V12	V	21.12.05		V	21.12.05		1	
R0430		25-S-84010	1	ST35.8 I.	25	2,6	6	V12	V	21.12.05		V	21.12.05		1	
R0431		25-S-84011	1	ST35.8 I.	25	2,6	1	V12	V	21.12.05		V	21.12.05		1	
R0432		25-S-84011	1	ST35.8 I.	25	2,6	2	V12	V	21.12.05		V	21.12.05		1	
R0450		50-NL-23010	1	1.4541	25	2	6	V2	V	18.01.06		V	18.01.06		1	
R0452		50-NL-23010	1	1.4541	25	2	5	V2	V	18.01.06		V	18.01.06		1	
R0459		50-NL-23010	1	1.4541	25	2	4	V2	V	18.01.06		V	18.01.06		1	
R0460		50-NL-23010	1	1.4541	25	2	3	V2	V	18.01.06		V	18.01.06		1	
R0466		50-NL-90004	1	1.4541	25	2	8	V4	V	12.01.06		V	12.01.06		1	
R0471		40-OL-40102	2	1.4541	25	2	2	V2	V	12.01.06		V	12.01.06		1	
R0472		40-OL-40102	2	1.4541	25	2	3	V2	V	11.01.06		V	11.01.06		1	
R0473		40-OL-40102	2	1.4541	25	2	4	V2	V	11.01.06		V	11.01.06		1	
R0516		15-OL-61107	1	1.4541	25	2	9	V2	V	12.01.06		V	12.01.06		1	
R0517		15-OL-61107	1	1.4541	25	2	10	V2	V	12.01.06		V	12.01.06		1	
R0521		40-OL-61110	1	1.4541	25	2	14	V2	V	12.01.06		V	12.01.06		1	
R0525		25-OL-61104	1	1.4541	25	2	2	V2	V	31.01.06		V	31.01.06		1	
R0526		80-OL-61103	1	1.4541	25	2	12	V2	V	18.01.06		V	18.01.06		1	
R0527		80-OL-61103	1	1.4541	25	2	13	V2	V	18.01.06		V	18.01.06		1	
R0528		80-OL-61103	1	1.4541	25	2	14	V2	V	18.01.06		V	18.01.06		1	



WAM

X - RAY - DOCUMENTATION

Projekt: ASU No. 9, Kosice

Auftrags-Nr.: 5.6948.1

Prüf-Nr.:	Bf.:	Zeichnungs-Nr.:	Bl.:	Werkstoff	NPD	Thick-Weid-	Schw.Nr.:	Accept	Datum	Reparatur	Accept	Datum	Test	Film	Bemerkung
R0529		80-OL-61103	1	1.4541	25	2	15	V2	18.01.06		V	18.01.06		1	1
R0530		80-OL-61103	1	1.4541	25	2	16	V2	18.01.06		V	18.01.06		1	1
R0531		80-OL-61103	1	1.4541	25	2	17	V2	18.01.06		V	18.01.06		1	1
R0532		80-OL-61103	1	1.4541	25	2	18	V2	18.01.06		V	18.01.06		1	1
R0533		80-OL-61103	1	1.4541	25	2	19	V2	18.01.06		V	18.01.06		1	1
R0534		80-OL-61103	1	1.4541	25	2	20	V2	18.01.06		V	18.01.06		1	1
R0535		25-NL-73017	1	1.4541	25	2	18	V2	19.01.06		V	19.01.06		1	1
R0536		25-NL-73017	1	1.4541	25	2	19	V2	19.01.06		V	19.01.06		1	1
R0537		25-NL-73017	1	1.4541	25	2	20	V2	19.01.06		V	19.01.06		1	1
R0538		25-NL-73017	1	1.4541	25	2	21	V2	19.01.06		V	19.01.06		1	1
R0539		25-NL-73017	1	1.4541	25	2	22	V2	19.01.06		V	19.01.06		1	1
R0540		25-RL-43002	1	1.4541	25	2	1	V2	19.01.06		V	19.01.06		1	1
R0541		25-RL-43002	1	1.4541	25	2	2	V2	19.01.06		V	19.01.06		1	1
R0542		25-RL-43002	1	1.4541	25	2	3	V2	19.01.06		V	19.01.06		1	1
R0543		25-RL-43002	1	1.4541	25	2	4	V2	19.01.06		V	19.01.06		1	1
R0577		15-OL-61207	1	1.4541	25	2	19	V2	31.01.06		V	31.01.06		1	1
R0578		15-OL-61207	1	1.4541	25	2	20	V2	31.01.06	TÜV Abnahme	V	31.01.06		1	1
R0579		80-OL-90001	1	1.4541	25	2	21	V2	09.02.06		V	09.02.06		1	1
R0580		25-S-84014	1	ST35.8 I,	25	2,6	9	V2	09.02.06		V	09.02.06		1	1
R0581		25-S-84014	1	ST35.8 I,	25	2,6	10	V2	09.02.06		V	09.02.06		1	1
R0582		25-S-84014	1	ST35.8 I,	25	2,6	11	V2	09.02.06		V	09.02.06		1	1
R0583		25-S-84014	1	ST35.8 I,	25	2,6	12	V2	09.02.06		V	09.02.06		1	1
R0584		25-S-84014	1	ST35.8 I,	25	2,6	13	V2	09.02.06		V	09.02.06		1	1
R0597		25-A-15043	1	ST37.0	25	2,6	2	V16	09.02.06		V	09.02.06		1	1
R0598		25-A-15043	1	ST37.0	25	2,6	3	V16	09.02.06		V	09.02.06		1	1
R0599		25-A-15044	1	ST37.0	25	2,6	3	V16	09.02.06		V	09.02.06		1	1
R0600		25-A-15044	1	ST37.0	25	2,6	4	V16	09.02.06		V	09.02.06		1	1
R0601		25-A-15044	1	ST37.0	25	2,6	5	V16	09.02.06		V	09.02.06		1	1
R0602		25-A-15044	1	ST37.0	25	2,6	6	V16	09.02.06		V	09.02.06		1	1
R0603		25-A-15044	1	ST37.0	25	2,6	7	V16	15.02.06		V	15.02.06		1	1
R0604		25-A-15044	1	ST37.0	25	2,6	8	V16	09.02.06		V	09.02.06		1	1
R0605		25-A-15045	1	ST37.0	25	2,6	6	V3	09.02.06		V	09.02.06		1	1
R0606		25-A-15045	1	ST37.0	25	2,6	7	V3	09.02.06		V	09.02.06		1	1
R0607		25-A-15045	1	ST37.0	25	2,6	8	V3	09.02.06		V	09.02.06		1	1

Pelzeder 01.03.06

5

Kosice

Auftrags-Nr.:	5.6948.1
---------------	----------

